(formerly 9-331c)		
01	DEPARTMENT OF THE INTERIOR	5. LEASE DES
701	BUREAU OF LAND MANAGEMENT	
APP	LICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BAC	K 6. IF INDIAN, A
10 TYPE OF W	MODE	7

(formerly 9-331c)		IITED S				
0 1	DEPARTMENT OF THE INTERIOR 5. LEAS				5. LEASE DESIGNATION AND SERIAL NO.	
	BUREAU OF LAND MANAGEMENT					
APPLICATION	ON FOR PE	R M IT TO DI	RILL, DEEPEN, OR	PLUG BACK	6. IF INDIAN, ALLOTTEE OR TRIBE NAME	
1a TYPE OF WORK					na	
DRILL	. X	DEEPEN	PLUG BA	CK	7. UNIT AGREEMENT NAME	
B TYPE OF WELL	AS 🔼		SINGLE	_	na S SARM OR L SAGE NAME	
OIL G.	· 1 1	OTHER	ZONE MULTIPLE ZONE	x	8. FARM OR LEASE NAME na	
2 NAME OF OPERATOR The House	ton Explorati	on Compan	·· · · · · · · · · · · · · · · · · · ·		9. WELL NO. Bonanza 15-11-9-23	
3. ADDRESS OF OPERATOR			<i>7</i>		10. FIELD OR LEASE NAME	
	siana Suite 2	2000 Housto	n, TX 77002		Natural Buttes	
4. LOCATION OF WELL (Rep	•	•		19	11. Sec., T., R., M., OR BLK	
at surface 607' FSI	L & 1920' FEL	SWSE 645			AND SURVEY OR AREA	
At proposed prod. Zone 14. DISTANCE IN MILES AND	same as	above 44	33932Y -109. Z	10894	Sec, 11, T9S, R23E	
	south of Verr	· · · · · · · - · · · · · · · · · ·	SI OFFICE		12. COUNTY OR PARISH 13. STATE Utah	
15. DISTANCE FROM PROP	OSED LOC. TO NEARE	ST PROP. OR LEASE	16. NO. OF ACRES IN LEASE		RES ASSIGNED	
LINE , FT. (Also to nearest dri	lg. Unit line, if any)		1,200			
16. DISTANCE FROM PROP	OSED LOCATION *				40 R CABLE TOOLS	
TO NEAREST WELL, DRILLI	NG COMPLETED.	4 4001	1			
OR APPLIED FOR, ON THIS 21. ELEVATION (SHOW WHI		1,400'	8,245	Rotar	Y 22. APPROX. DATE WORK WILL START	
5015.3 C		<i>,</i>			April 15 2005	
		PROPOSED CA	ASING AND CEMENT PROGR	AM		
SIZE OF HOLE	SIZE OF CASING 8 5/8"	WEIGHT PER FOO			Y OF CEMENT	
		 	2000'	779 s		
7 7/8" 4 1/2" 11.6#		T.D.	600 s	ks		
The ear			 	hissaaall E	Nana - 6 - 4 4 44 1 1	
				bject well. P	Please find the attached	
10 poi:	nt plan and	13 point pla	an.			
\A/illia=	A Byon					
	n A Ryan				-	
290 S 800 F						

Vernal, UT 84078 435-789-0968

Federal Approval of this Action is Nacessary

RECEIVED

APR 2 6 2005

DIV. OF OIL, GAS & MINING


IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposed in to deepen or plug back, give data on proposed productive zone and proposed new productive zone. If proposal is to drill or deepen directional, give pertinent data on subsurface location and measure and true vertical depths. Give blowout preventer program, if Mar. 30, 2005 Agent **SIGNATURE** TITLE DATE PERMIT NO APPROVAL DATE **BRADLEY G. HILL** APPROVED BY TITLE CONDITIONS OF APPROVAL IF

*See Instructions on Reverse Side

Title 18 U. S. C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

CONFIDENTIAL

T9S, R23E, S.L.B.&M.



= SECTION CORNERS LOCATED.

LATITUDE = $40^{\circ}02'41.80"$ (40.044944)


LONGITUDE = $109^{\circ}17'27.48''$ (109.290967)

THE HOUSTON EXPLORATION COMPANY

Well location, BONANZA #15-11-9-23, located as shown in the SW 1/4 SE 1/4 of Section 11, T9S, R23E, S.L.B.&M. Uintah County, Utah.

BASIS OF ELEVATION

BENCH MARK (54EAM) LOCATED IN THE NW 1/4 OF SECTION 14, T9S, R23E, S.L.B.&M. TAKEN FROM THE RED WASH SE QUADRANGLE, UTAH, UINTAH COUNTY, 7.5 MINUTE SERIES (TOPOGRAPHICAL MAP) PUBLISHED BY THE UNITED STATES DEPARTMENT OF THE INTERIOR, GEOLOGICAL SURVEY. SAID ELEVATION IS MARKED AS BEING 5031 FEET.



CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED PROM
FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY
SUPERVISION AND THAT THE SAME TRUE AND CORRECT TO THE
BEST OF MY KNOWLEDGE AND BELLEF

REGISTERED LAND SURVEYOR REGISTRATION NO. 161310

UINTAH ENGINEERING & LAND SURVEYING 85 SOUTH 200 EAST - VERNAL, UTAH 84078 (435) 789-1017

SCALE 1" = 1	000'			DATE SUR 02-0		DATE DRAWN: 02-14-05
PARTY G.O.	B.C.	Р.М.		REFERENC G.L	ES .O. PLAT	
WEATHER CC	LD		FILE THE H	OUSTON	EXPLOR	ATION COMPAN

SELF-CERTIFICATION STATEMENT

The following self-certification statement is provided per Federal requirements dated June 15, 1988.

Please be advised that The Houston Exploration Company are considered to be the operator of the following well.

Bonanza 15-11-9-23 Section 11, T.9S, R.23E. SW 1/4, SE 1/4 Lease UTU-74426 Uintah County, Utah

The Houston Exploration Company is responsible under the terms and conditions of the lease for the operations conducted upon the lease lands.

Bond UTB-000062 provides state-wide bond coverage on all Federal lands.

William A. Ryan

Agent

Rocky Mountain Consulting

290 S. 800 E.

Vernal UT 84078

435-789-0968 Office

435-828-0968 Cell

435-789-0970 Fax

rmcwar@hotmail.com

Ten Point Plan

The Houston Exploration Company

Bonanza 15-11-9-23

Surface Location SW 1/4 SE 1/4, Section 11, T. 9S., R. 23E.

1. Surface Formation

Green River

2. Estimated Formation Tops and Datum:

Depth	<u>Datum</u>
Surface	+5,015' G.L.
4,418	+597'
4,555	+460'
6,395	-1,380'
•	-3,175'
•	-3,250'
8,245	-3,230'
	Surface 4,418 4,555 6,395 8,190 8,265

A 11" hole will be drilled to 2,000' +/-. The hole depth will depend on the depth that the Birds Nest Zone is encountered. The hole will be drilled 400' beyond the top of the Birds Nest.

3. Producing Formation Depth:

Formation objective includes the Green River, Wasatch, Mesaverde and its submembers.

Off set well information

Off set wells:

Permitted/Drilled:

Bonanza #2-11-9-23	Bonanza #13-11-9-23
Bonanza #3-11-9-23	Bonanza #14-11-9-23
Bonanza #5-11-9-23	Bonanza #5-12-9-23
Bonanza #6-11-9-23	Bonanza #6-12-9-23
Bonanza #7-11-9-23	Bonanza #6-12-9-23
Bonanza #9-11-9-23	Bonanza #11-12-9-23
Bonanza #11-11-9-23	

Producing Wells: Bonanza #12D-12

Abandoned Wells: SR #23-11 Shut in Wells: Bonanza #1-11

4. Proposed Casing:

Hole	Casing			Coupling	Casing	
Size	Size	Weight/FT	Grade	& Tread	<u>Depth</u>	New/Used
11	8 5/8	36#	J-55	STC	2000	NEW
7 7/8	4 1/2	11.6#	N-80	LTC	T.D.	NEW

Cement Program:

The Surface Casing will be cemented to the Surface as follows:

T 1	Casing <u>Size</u>	Cement Type	Cement Amounts	Cement <u>Yield</u>	Cement Weight
Lead:	8 5/8	Primium Lite II .05#/sk Static Free .25#/sk Cello Flake 5#/sk KOL Seal .002 gps FP-6L 10% Bentonite .5% Sodium Metasil 3% Potassium Chlor		3.38ft³/sk	11.0 ppg
Tail:					
	8 5/8	Class "G" 2% Calcium Chlorid .25#/sk Cello Flake	329 sks. +/- le	1.2ft³/sk	15.6 ppg
Top Jo	b:				
	8 5/8	4% Calcium Chlorido .25#/sk Cello Flake	e 200 sks. +	/-1.10ft³/sk	15.6 ppg

Production casing will be cemented to 2,500' or higher as follows:

	Casing <u>Size</u>	Cement Type	Cement Amounts	Cement Yield	Cement Weight
Lead:					
	4 1/2	Primium Lite II .25#/sk Cello Flake .05#/sk Static Free 5#/sk Kol Seal 3% Potassium Chlori .055 gps FP-6L 10% Bentonite .5 Sodium Metasilica		3.3ft³/sk	11.0 ppg
Tail:					
	4 1/2	Class "G" .05% Static Free 2 Sodium Chloride .1% R-3	400 sks +/-	1.56ft ³ /sk	14.3 ppg

5. BOP and Pressure Containment Data:

2% Bentonite

The anticipated bottom hole pressure will be less than 3000 psi.

A 3000-psi WP BOP system as described in the BOP and Pressure Containment Data (attached) will be installed and maintained from the 8 5/8" surface casing. The BOP system including the casing will be pressure tested to minimum standards set forth in "On Shore Order #2". The BOP will be mechanically checked daily during the drilling operation.

6. Mud Program:

Interval	Mud weight lbs./gal.	Viscosity Sec./OT.	Fluid Loss Ml/30 Mins.	Mud Type
0-2000	Air/Clear Water	30	No Control	Water/Gel
2000-T.D.	8.4-12.0		8-10	Water/Gel

7. Auxiliary Equipment

Upper Kelly cock, full opening stabbing valve, 2 ½" choke manifold and pit level indicator.

8. Testing, Coring, Sampling and Logging:

b) Coring: There is the possibility of sidewall coring.

c) Sampling: Every 10' from 2000' to T.D.

d) Logging: Type Interval


DLL/SFL W/GR and SP
T.D. to Surf. Csg
FDC/CNL W/GR and CAL
T.D. to Surf. Csg

9. Abnormalities (including sour gas):

No abnormal pressures, temperatures or other hazards are anticipated. Oil and gas shows are anticipated in the Wasatch Formation. Other wells drilled in the area have not encountered over pressured zones or H2S.


10. Drilling Schedule:

The anticipated starting date is ____April 15, 2005. Duration of operations is expected to be 30 days.




THE HOUSTON EXPLORATION COMPANY

TYPICAL 3,000 p.s.z. BLOWOUT PREVENTER SCHEMATIC



TYPICAL 3,000 p.s.i. CHOKE MANIFOLD SCHEMATIC



THE HOUSTON EXPLORATION COMPANY 13 POINT SURFACE USE PLAN

FOR WELL

BONANZA 15-11-9-23

LOCATED IN SW 1/4 SE 1/4

SECTION 11, T. 9S, R23E, S.L.B.&M.

UINTAH COUNTY, UTAH

LEASE NUMBER: UTU-74426

SURFACE OWNERSHIP: FEDERAL

1. Existing Roads:

To reach The Houston Exploration Co well Bonanza #15-11-9-23 in Section 11, T9S, R23E, starting in Vernal, Utah.

Proceed in an easterly, then southerly direction from Vernal, Utah along US Highway 40 approximately 3.9 miles to the junction of State Highway 45; exit right and proceed in a southerly. then southeasterly direction approximately 36.6 miles on State Highway 45 to the junction of this road and an existing road to the west; turn right and proceed in a westerly, then northwesterly direction approximately 7.8 miles to the junction of this road and an existing road to the north; turn right and proceed in a northerly, then northeasterly direction approximately 0.8 miles to the junction of this road and an existing two-track to the southeast; turn right and proceed in a southeasterly direction approximately 0.2 miles to the beginning of the proposed access for the #10-11 to the southeast; follow road flags in a southeasterly direction approximately 0.1 miles to the beginning of the proposed access to the southeast; follow road flags in a southeasterly direction approximately 0.25 miles to the proposed location.

Total distance from Vernal, Utah to the proposed well location is approximately 49.65 miles.

All existing roads to the proposed location are State of Utah, BLM maintained or County Class D roads. Please see the attached map for additional details.

2. Planned access road

The proposed access road will be approximately 1320' +/- of new construction on lease. The road will be graded once per year minimum and maintained.

A) Approximate length	1320 ft
B) Right-of-Way width	30 ft
C) Running surface	18 ft
D) Surface material	Native soil
E) Maximum grade	5%
F) Fence crossing	None
G) Culvert	None
H) Turnouts	None
I) Major cuts and fills	None
J) Road Flagged	Yes
K) Access road surface	ownership
·	Federal
L) All new construction	n on lease
•	Yes
M) Pipe line crossing	No

Please see the attached location plat for additional details.

An off lease Right-of-Way will not be required.

All surface disturbances for the road and location will be within the lease boundary.

3. Location of existing wells

The following wells are located within

a one-mile radius of the location site.

A) Producing well Bonanza 12D-12

B) Water well

None

- B) Abandoned well SR #23-11
- D) Temp. abandoned well
- E) Disposal well

None None

F) Drilling /Permitted well

Bonanza 4-12-9-23

Bonanza 5-12-9-23

Bonanza 13-12-9-23

Bonanza 2-11-9-23

Bonanza 10-11-9-23

Bonanza 16-11-9-23

Bonanza 3-11-9-23

Bonanza 5-11-9-23

Bonanza 4-11

Bonanza 6-11-9-23

Bonanza 7-11-9-23

Bonanza 8-11

Bonanza 12-11

Bonanza 11-11-9-23

Bonanza 13-11-9-23

Bonanza 15-11-9-23

G) Shut in wells Bonanza 1-11

H) Injection well

None

I) Monitoring or observation well

None

Please see the attached map for additional details.

4. Location of tank batteries, production facilities and production gathering service lines.

All production facilities are to be contained within the proposed location site. Please see the attached plat plan for a typical gas well separator installation and well site piping.

All permanent (on site for more than six months or longer) structures constructed or installed will be painted a **Carlsbad Canyon** color. Facilities required to comply with O.S.H.A. (Occupational Safety and Health Act) will be excluded. The required paint color is **Carlsbad Canyon**.

All tanks will be surrounded by a dike of sufficient capacity to contain the storage capacity of the largest tank in the battery. The integrity of the dike will be maintained.

The operator will adhere to all site security guidelines and regulation identified in 43 cfr 3126.7.

All off lease storage, off lease measurement, commingling on lease or off lease, of production, will have prior written approval form the authorized officer.

If the well is capable of economic production a surface gas line will be required.

Approximately 1376' +/- of 3" pipeline would be constructed on Federal Lands. The pipeline will tie into the proposed pipeline in Sec 11, T9S, R23E. The pipeline will be strung and boomed to the north of the location and the east side of the access road.

An off lease Right-of-Way will not be required.

Please see the attached location diagrams for pipe-line location.
There will be no additional surface

disturbances required for the installation of a gathering line.

The gas meter run will be located within 500' of the wellhead. The gas line will be buried or anchored down from the wellhead to the meter. Meter runs will be housed and/or fenced.

The gas meter will be calibrated and the tank strapped in place prior to any deliveries. Tests for meter accuracy will be conducted monthly for the first three months on new meter installations and at least quarterly thereafter. The authorized officer will be provided with a date and time for the initial meter calibration and all future meterproving schedules. A copy of the meter calibration report will be submitted to the BLM's Vernal District office and State of Utah, Division of Oil, Gas, and Mining. All measurement facilities will conform to API (American Petroleum Institute) and AGA (American Gas Association) standards for gas and liquid hydrocarbon measurement.

5. Location and type of water supply

Water for drilling and cementing will come from The White River at the Bonanza Bridge, Permit # - T75376.

6. Source of construction materials

All construction material for this location site and access road shall be

borrow material accumulated during construction of the location site and access road. Additional road gravel or pit lining material will be obtained from private resources.

7. Methods for handling waste disposal

A) Pit construction and liners:

The reserve pit will be approximately 12 ft. deep and most of the depth shall be below the surface of the existing ground Please see the attached plat for details.

The reserve pit will be lined.

The reserve pit will be used to store water for drilling. A semi-closed system will be used to drill the well. All fresh water for drilling will come from a frac tank placed on location and from the rig tank. The pit will be used to hold non-flammable materials such as cuttings, salt, drilling fluids, chemicals, produced fluids, etc.

B) Produced fluids:

Produced water will be confined to the reserve pit, or if deemed necessary, a storage tank for a period not to exceed 90 days after initial production. During the 90-day period an application for approval for permanent disposal method and location will be submitted to the authorized officer.

C) Garbage:

A trash cage fabricated from expanded metal will be used to hold trash on location and will be removed to an authorized landfill location.

D) Sewage:

A portable chemical toilet will be supplied for human waste.

E) Site clean-up:

After the rig is moved off the location the well site area will be cleaned and all refuse removed.

8. Ancillary facilities

There are no ancillary facilities planned at this time and none are foreseen for the future.

9. Well-site layout

Location dimensions are as follows:

A) Pad length	345 ft
B) Pad width	245 ft
C) Pit depth	12 ft
D) Pit length	150 ft
E) Pit width	75 ft
F) Max cut	15.6 ft
G) Max fill	3.7 ft
H) Total cut yds.	6,960 cu yds
I) Pit location	south end
Ď Top soil loseti	o n

J) Top soil location

east end

K) Access road location

north end

L) Flare Pit corner C

Please see the attached location diagram for additional details.

All pits will be fenced according to the following minimum standards:

- A) Thirty nine inch net wire shall be used with at least one strand of wire on top of the net wire. Barbed wire is not necessary if pipe or some type of reinforcement rod is attached to the top of the entire fence.
- B) The net wire shall be no more than 2 inches above the ground. The barbed wire shall be 3 inches above the net wire. Total height of the fence shall be at leas 42 inches.
- C) Corner posts shall be cemented and/or braced in such a manner to keep the fence tight at all times.
- D) Standard steel, wood or pipe posts shall be used between the corner braces. Maximum distance between any two posts shall be no greater than 16 ft.
- E) All wire shall be stretched by using a stretching device before it is attached to the corner posts.

10. Plans for restoration of the surface

Prior to construction of the location, the top 6 inches of soil material will be stripped off the location and the pit area. The topsoil removed and piled will amount to approximately 1,630 cubic yards of material. Topsoil will be stockpiled in one distinct pile. Placement of the

topsoil is noted on the attached location plat. The topsoil pile from the location will be seeded as soon as the soil is stock piled with the seed mix listed. When all drilling and completion activities have been completed and the pit back-filled the topsoil from the pit area will be spread on the pit area. The pit area will be seeded when the soil has been spread. The unused portion of the location (the area outside the dead men) will be re-contoured.

The dirt contractor will be provided with an approved copy of the surface use plan prior to construction activities.

Changes to the drainage during the construction activities shall be restored to its original line of flow or as near as possible when the pit is back-filled

All disturbed areas will be recontoured to the approximate natural contours. Prior to back filling the pit the fences around the reserve pit will be removed.

The reserve pit will be reclaimed within 90 days of well completion. If the reserve pit has not dried sufficiently to allow back filling, an extension on the time requirement for back filling the pit will be requested. Once reclamation activities have begun, they shall be completed within 30 days.

After the reserve pit has been reclaimed, no depressions in the soil covering the reserve pit will be allowed. The objective is to keep seasonal rainfall and run off from

seeping into the soil used to cover the reserve pit. Diversion ditches and water bars will be used to divert the run off as needed.

When restoration activities have been completed, the location site and new access road cuts and shoulders shall be reseeded. Prior to reseeding, all disturbed areas will be scarified. And left with a rough surface.

A) Seeding dates:

Seed will be spread when topsoil is stock piled and when reclamation work is performed.

The seed mix and quantity list will be used whether the seed is broadcast or drilled.

B) Seed Mix:

To be determined by the Authorized Officer.

11. Surface ownership:

Access road	Federal
Location	Federal
Pipe line	Federal

12. Other information:

A) Vegetation

The vegetation coverage is Slight. The majority of the existing vegetation consists of Sagebrush. Rabbit brush, Bitter Brush, and Indian Rice grass are also found on the location.

B) Dwellings:

There are no dwelling or other facilities within a one-mile radius of the location.

C) Archeology:

The location has been surveyed. A copy of that survey will be forwarded to your office.

If, during operations, any archaeological or historical sites, or any objects of antiquity (subject to the antiquities act of June 8, 1906) are discovered, all operations which would affect such sites will be suspended and the discovery reported promptly to the surface management agency.

D) Water:

The nearest water is the White River located approximately 7 miles to the South.

E) Chemicals:

No pesticides, herbicides or other possible hazardous chemicals will be used without prior application.

F) Notification:

a) Location Construction
At least forty eight (48)
hours prior to
construction of location
and access roads.

- b) Location completion Prior to moving on the drilling rig.
- c) Spud notice At least twenty-four (24) hours prior to spudding the well.
- d) Casing string and cementing
 At least twenty-four (24) hours prior to running casing and cementing all casing strings.
- e) BOP and related equipment tests
 At least twenty-four (24) hours prior to initial pressure tests.
- f) First production notice Within five (5) business days after the new well begins, or production resumes after well has been off production for more than 90 days.

G) Flare pit:

The flare pit will be located in **corner C** of the reserve pit out side the pit fences and 100 feet from the bore hole on the east side of the location. All fluids will be removed from the pit within 48 hours of occurrence.

13. Lessees or Operator's representative and certification

A) Representative

William A. Ryan Rocky Mountain Consulting Vernal, UT 84078 Office 435-789-0968 Fax 435-789-0970 Cellular 435-828-0968

All lease and/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws, regulations, onshore oil and gas orders, and any applicable notices to lessees. The operator is fully responsible for the actions of his subcontractors. A copy of these conditions will be furnished to the field representative to ensure compliance.

This drilling permit will be valid for a period of one year from the date of approval.

After permit termination, a new application will be filed for approval for any future operations.

B) Certification:

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drill-site and access route, that I am familiar with the conditions which presently exist, that the statements made in this plan are, to the best of my knowledge and belief, true and correct, and that the work associated with the operation proposed herein will be preformed by The Houston **Exploration Company and its** contractors and subcontractors in conformity with this plan and terms and conditions with this plan and the terms and conditions under which it is approved.

Date 04/11/05

William A. Ryan, Agent / Rocky Mountain Consulting

Onsite Dates: 3/18/05

Statement of use of Hazardous Materials

No chemical(s) from the EPA's consolidated list of Chemicals subject to Reporting under Title III of the Superfund Amendments and Reauthorization, Act (SARA) of 1986 will be used, produced, transported, stored, disposed, or associated with the proposed action. No extremely hazardous substances, as defined in 40 cfr 355, will be used, produced, stored, transported, disposed, or associated with the proposed action.

If you require additional information please contact:

William A Ryan Agent for The Houston Exploration Company Rocky Mountain Consulting 290 S 800 E Vernal, UT 84078

435-789-0968 Office 435-828-0968 Cell 435-789-0970 Fax

THE HOUSTON EXPLORATION COMPANY

BONANZA #15-11-9-23

LOCATED IN UINTAH COUNTY, UTAH SECTION 11, T9S, R23E, S.L.B.&M.




PHOTO: VIEW FROM CORNER #5 TO LOCATION STAKE

CAMERA ANGLE: SOUTHEASTERLY




PHOTO: VIEW FROM BEGINNING OF PROPOSED ACCESS


CAMERA ANGLE: SOUTHERLY





LOCATION PHOTOS


O2
MONTH
DAY
YEAR


TAKEN BY: GO. | DRAWN BY: C.P. | REVISED: 00-00-00















WORKSHEET APPLICATION FOR PERMIT TO DRILL

APD RECEIVED: 04/26/2005	API NO. ASSIGNE	ED: 43-047-3665	2
WELL NAME: BONANZA 15-11-9-23 OPERATOR: HOUSTON EXPLORATION CO, (N2525) CONTACT: BILL RYAN PROPOSED LOCATION:	PHONE NUMBER: 4		
SWSE 11 090S 230E	INSPECT LOCATN	BY: / /	
SURFACE: 0607 FSL 1920 FEL BOTTOM: 0607 FSL 1920 FEL	Tech Review	Initials	Date
UINTAH	Engineering		
NATURAL BUTTES (630)	Geology		
LEASE TYPE: 1 - Federal	Surface		
LEASE NUMBER: UTU-74426 SURFACE OWNER: 1 - Federal PROPOSED FORMATION: CSLGT COALBED METHANE WELL? NO	LATITUDE: 40.0 LONGITUDE: -109		
Plat Plat	R649-3-3 Drilling Un Board Caus Eff Date: Siting:	General From Qtr/Qtr & 920' Exception	
STIPULATIONS: 1- keder 2- Space	n Approva		





State of Utah

Department of Natural Resources

MICHAEL R. STYLER Executive Director

Division of Oil, Gas & Mining

MARY ANN WRIGHT Acting Division Director

JON M. HUNTSMAN, JR.

Governor

GARY R. HERBERT Lieutenant Governor

April 28, 2005

The Houston Exploration Company 1100 Louisiana, Suite 2000 Houston, Texas 77002

Re:

Bonanza 15-11-9-23 Well, 607' FSL, 1920' FEL, SW SE, Sec. 11, T. 9 South.

R. 23 East, Uintah County, Utah

Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann.§ 40-6-1 et seq., Utah Administrative Code R649-3-1 et seq., and the attached Conditions of Approval, approval to drill the referenced well is granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-047-36652.

Sincerely,

John R. Baza
Associate Director

on Stales

jc Enclosures

cc:

Uintah County Assessor

Bureau of Land Management, Vernal District Office

Operator:	The Houston Exploration Company							
Well Name & Number	Bonanza 15-11-9-23							
API Number:	43-047-	36652						
Lease:	UTU-7	4426						
Location: SW SE	Sec. 11	T. 9 South	R. 23 East					

Conditions of Approval

1. General

Compliance with the requirements of Utah Admin. R. 649-1 *et seq.*, the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

2. Notification Requirements

Notify the Division within 24 hours of spudding the well.

Contact Carol Daniels at (801) 538-5284.

Notify the Division prior to commencing operations to plug and abandon the well.

• Contact Dan Jarvis at (801) 538-5338

3. Reporting Requirements

All required reports, forms and submittals will be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

- 4. State approval of this well does not supersede the required federal approval, which must be obtained prior to drilling.
- 5. This proposed well is located in an area for which drilling units (well spacing patterns) have not been established through an order of the Board of Oil, Gas and Mining (the "Board"). In order to avoid the possibility of waste or injury to correlative rights, the operator is requested, once the well has been drilled, completed, and has produced, to analyze geological and engineering data generated therefrom, as well as any similar data from surrounding areas if available. As soon as is practicable after completion of its analysis, and if the analysis suggests an area larger than the quarter-quarter section upon which the well is located is being drained, the operator is requested to seek an appropriate order from the Board establishing drilling and spacing units in conformance with such analysis by filing a Request for Agency Action with the Board.

S F UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING

DIVISION OF OIL, GAS AND MINING	5. LEAS	E DESIGNATION AND SERIAL NUMBER:
SUNDRY NOTICES AND REPORTS ON W	ELLS 6. IF INC	DIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such pro	death reenter alugged walls as to	or CA AGREEMENT NAME:
1. TYPE OF WELL OIL WELL GAS WELL OTHER		NAME and NUMBER:
	See	Attached List
2. NAME OF OPERATOR: The Houston Exploration Company N3535	9. API N	UMBER:
3. ADDRESS OF OPERATOR: 1100 Louisiana, Ste 2000 Houston TX 77002		D AND POOL, OR WILDCAT:
1100 Louisiana,Ste 2000 CITY Houston STATE TX ZIP 77002	(713) 830-6938	
FOOTAGES AT SURFACE: See Attached List	COUNTY	· Uintah
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:	STATE:	UTAH
11. CHECK APPROPRIATE BOXES TO INDICATE NATUR	E OF NOTICE BERORT OF	OTHER DATA
TYPE OF SUBMISSION		COINER DATA
T ACIDIZE TO DESCRIP	TYPE OF ACTION	
NOTICE OF INTENT		REPERFORATE CURRENT FORMATION
	JRE TREAT	SIDETRACK TO REPAIR WELL
Effective		TEMPORARILY ABANDON
9/1/05 CHANGE TO PREVIOUS PLANS OPERA	FOR CHANGE 9/1/05	TUBING REPAIR
CHANGE TUBING PLUG A	ND ABANDON	VENT OR FLARE
SUBSEQUENT REPORT CHANGE WELL NAME PLUG B	ACK U	WATER DISPOSAL
	CTION (START/RESUME)	WATER SHUT-OFF
· I— —	MATION OF WELL SITE	OTHER:
CONVERT WELL TYPE RECOM	PLETE - DIFFERENT FORMATION	
Enduring Resources, LLC Operator #N 2750 Utah State Bond 475 17th Street, Ste 1500 Denver, CO 80202 Contact: Frank Hutto 303-350-5102 Date Date	1#RLB0008031	<u>015</u>
SIGNATURE Jame Auler	Vice President/General I 9/2/2005	Manager Onshore
This space for State use only) APPROVED 913913005	• •	arm and home ! If have had
	•	\rm 1 - 444

Carlene Russell, Engineering Technician on Reverse Side)

SEP 2 6 2005

DIV. OF OIL, GAS & MINING

STATE OF UTAH

DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING

Request to Transfer Application or Permit to Drill

(This form should accompany a Sundry Notice, Form 9, requesting APD transfer)

Bonanza 15-11-9-23
4304736652
Qtr-Qtr: SWSE Section: 11 Township: 9S Range: 23E
HOUSTON EXPLORATION COMPANY
04/28/2005
HOUSTON EXPLORATION COMPANY

Check one	Desired Action:
	Transfer pending (unapproved) Application for Permit to Drill to new operator
	The undersigned as owner with legal rights to drill on the property, hereby verifies that the information as submitted in the pending Application for Permit to Drill, remains valid and does not require revision. The new owner of the application accepts and agrees to the information and procedures as stated in the application.
√	Transfer approved Application for Permit to Drill to new operator
	The undersigned as owner with legal rights to drill on the property as permitted, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision.

Following is a checklist of some items related to the application, which should be verified.	Yes	No
If located on private land, has the ownership changed?		✓
If so, has the surface agreement been updated?		
Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location?		✓
Have there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well?		1
Have there been any changes to the access route including ownership or right-of-way, which could affect the proposed location?	ļ	1
Has the approved source of water for drilling changed?		✓
Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation?		✓
Is bonding still in place, which covers this proposed well? Bond No. RLB0008031	✓	

Any desired or necessary changes to either a pending or approved Application for Permit to Drill that is being transferred, should be filed on a Sundry Notice, Form 9, or amended Application for Permit to Drill, Form 3, as appropriate, with necessary supporting information as required.

Name (please print) ALEX CAMPBELL Signature	Title VICE PRESIDENT OF LAND Date 09/19/2005
Representing (company name) ENDURING RESOURCES, L	LC

The person signing this form must have legal authority to represent the company or individual(s) to be listed as the new operator on the Application for RECEIVED Permit to Drill.

(3/2004)

SEP 2 6 2005

TRANSFER OF OPERATOR

NATURAL BUTTES FIELD, UINTAH COUNTY, UTAH DRILLED WELLS, TO BE OPERATED BY ENDURING RESOURCES, LLC

API Well Number	well Name	Well Status	Qtr/Qtr	Section	Township-Range	FNL/FSL	FEL/FWL	Latitude	Longitude
43047355550000	Bonanza #10D-18	SI	NWSE	18	9S-24E	1437 S	1800 E	40.03340	-109.25282
43047355510000	Bonanza #12D-12	Producing	NWSW	12	9S-23E	1556 S	867 W	40.04788	-109.28055
43047356930000	Bonanza #2D-27	Producing	NWNE	27	9S-24E	1064 N	1824 E	40.01123	-109.19600
43047359080000	Bonanza 10-11	Producing	NWSE	11	9S-23E	1991 S	1755 E	40.04866	-109.29035
43047356920000	Bonanza 10D-8	SI	NWSE	8	9S-24E	1510 S	1768 E	40.04789	-109.23383
43047355520000	Bonanza 1-11	Producing	NWNW	11	9S-23E	990 N	990 E	40.05431	-109.29891
43047359290000	Bonanza 12-20	Drlg	NWSW	20	9S-25E	1998 S	825 W	40.01947	-109.13150
43047-359210000	Bonanza 12A-18	Producing	NWSW	18	9S-24E	2067 S	813 W	40.03430	-109.26242
43047359090000	Bonanza 14-12	Evaluating	SESW	12	9S-23E	505 S	2001 W	40.04455	-109.27693
43047359940000	Bonanza 4-18	WOPL	NWNW	18	9S-24E	706 N	682 W	40.04119	-109.26288
43047-356220000	Bonanza 4D-16	Producing	NWNW	16	9S-24E	1152 N	1209 W	40.04000	-109.22349
43047358600000	Bonanza 6-36	Producing	SENW	36	9S-24E	2217 N	2009 W	39.99336	-109.16393
43047359120000	Bonanza 6B-8	Producing	SENW	8	9S-24E	2017 N	1878 W	40.05213	-109.24004
43047359200000	Bonanza 8D-7	Producing	SENE	7	9S-24E	1992 N	477 E	40.05220	-109.24845
43047359050000	Buck Canyon 15-24	P&A	SW/SE	24	12S-21E	700 S	2139 E	39.75386	-109.5134
43047348150000	Cartwright 2-35	TA	NWNE	35	9S-24E	858 N	2104 E	39.99733	-109.17882
43047332510000	East Bench 11-16	WOC	NESW	16	11S-22E	S S	1980 W	39.85889	-109.46172
43047347560000	Hoss 15	Producing	SWSE	20	9S-25E	1291 S	2088 E	40.01767	-109.12236
43047348140000	Little Joe 11-7	TA	NENE	7	9S-25E	710 N	644 E	40.05562	-109.13601
43047361500000	Rainbow 14-17	WOC	SESW	17	11S-24E	780 S	1726 W	39.85689	-109.25731
43047361840000	Rainbow 2-16	WOC	NWNE	16	11S-24E	837 N	2136 E	39.86708	-109.23348
43047353630000	Southman Canyon 10D-36	Producing	NWSE	36	9S-23E	1757 S	1650 E	39.98991	-109.27148
43047353640000	Southman Canyon 12D-36	Producing	NWSW	36	9S-23E	1518 S	1069 W	39.98977	-109.28040
43047357700000	Southman Canyon 14C-36	Producing	SESW	36	9S-23E	648 S	1717 W	39.98689	-109.27716
43047357720000	Southman Canyon 16C-36	Producing	SESE	36	9S-23E	542 S	736 E	39.98607	-109.26912
43047356910000	Southman Canyon 2D-30	Producing	NWNE	30	9S-24E	1171 N	1502 E	40.01111	-109.25269
43047353650000	Southman Canyon 2D-36	Producing	NWNE	36	9S-23E	960 N	1751 E	39.99711	-109.27228
43047353610000	Southman Canyon 4D-36	Producing	WNW	36	9S-23E	1163 N	1137 W	39.99623	-109.28012
43047353620000	Southman Canyon 6D-36	Producing	SENW	36	9S-23E	2466 N	2271 W	39.99336	-109.27635
43047357710000	Southman Canyon 8C-36	Producing	SENE	36	9S-23E	2185 N	694 E	39.99358	-109.26783
43047355590000	Thurston Federal #12-1	Producing	SESW	12	12S-21E	692 S	1959 W	39.78280	-109.51768

TRANSFER OF OPERATOR BLM APPROVED WELLS

PREVIOUS OPERATOR: Houston Exploration Company

NEW OPERATOR: Enduring Resources, LLC EFFECTIVE DATE: September 1st, 2005

Well Name	0/0		l _	l _	Lease		
	Q/Q	Sec	Т	R	Number	Footages f/ Sec Lines - SL	API Number
Asphalt Wash 13-7	9W/9W	7	113	24E	UTU-73010	739' FSL & 029' FWL	43 047-36234
Bonanza 16-18	SE/SE	18	98	24E	UTU-73457	861' FSL & 715' FEL	43-047-35992
Bonanza 4-11	NW/NW	11	98	23E	UTU-74426	671' FNL & 729' FWL	43-047-35968
Bonanza 10D-12	NW/SE	12	98	23E	UTU-74426	1,785' FSL & 1,855' FEL	43-047-35919
Bonanza 12-11	NW/SW	11	98	23E	UTU-74426	1748' FSL & 420' FWL	43-047-35916
Bonanza 14-18	SE/SW	18	98	24E	UTU-73457	472' FSL & 2,010' FWL	43-047-35993
Bonanza 14A-8	SE/SW	8	98	24E	UTU-73457	907' FSL & 2,298' FWL	43-047-35952
Bonanza 16A-27	SE/SE	27	98	24E	UTU-80571	862' FSL & 581' FEL	# 43-047-35932 # 43-047-35923
Bonanza 2-21	NW/NE	21	88	25E	UTU-73470	1,207' FNL & 1,541' FEL	43-047-35926
Bonanza 3-8	NW/NW	8	98	24E	UTU-73457	573' FNL & 1,518' FWL	43-047-35926
Bonanza 6D-7	SE NW	7	98	24E	UTU-73457	2,310' FNL & 2,310' FWL	43-047-35690
Bonanza 8-11	SE/NE	11	98	23E	UTU-74426	2,163 FNL & 615' FEL	43-047-35907
Bonanza 8B-27	SE/NE	27	98	24E	UTU-80571	1,830' FNL & 735' FEL	
Buck Camp 4-25	NW/NW	25	11S	22E	UTU-74424	804 FNL & 695 FWL	43-047-35923
Buck Camp 4-26	NW/NW	26	115	22E	UTU-74974	660' FNL & 660' FWL	43-047-36276
Buck Canyon 1-24	NE/NE	24	12S	21E	UTU-73440	488' FNL & 833' FEL	43-047-36274
Buck Canyon 15-24	SW/SE	24		1	UTU-73440	700 FNL & 033 FEL	43-047-35606
Buck Canyon 7-24	SW/NE	-24			UTU-73440		3 43-047-35905
Buck Canyon 9-24	NE/SE	24			UTU-73440	2,041' FNL & 2,171' FEL	43-047-35904
Rainbow 1-17	NE/NE			П	01010110	1784' FSL & 855' FEL	43-047-35903
Southman Canyon #14-30		17		24E	UTU-73920	795' FNL & 586' FEL	43-047-36151
	SE/SW	30	98	24E	UTU-80571	740' FSL & 1,737' FWL	43-047-35914
Southman Canyon #4C-30	NW/NW	30	98	24E	UTU-80571	676' FNL & 568' FWL	43-047-35913
Southman Canyon 12-30	NW/SW	30	98	24E	UTU-80571	1,912' FSL & 513' FWL	43-047-36104
Southman Canyon 8-30	SE/NE	30	98	24E	UTU-80571	1,875' FNL & 818' FEL	43-047-35994
Southman Canyon 9-30	NE/SE	30	95	24E	UTU-80571	2,089' FSL & 831' FEL	43-047-36019

* 43047-35906 • 43047-35953

TRANSFER OF OPERATOR SINE OF UTAH APPROVED AND PENDING $\mu_{\mathcal{J}}$

PREVIOUS OPERATOR: Houston Exploration Company

NEW OPERATOR: Enduring Resources, LLC EFFECTIVE DATE: September 1st, 2005

		_		r		1			
 Well Name	Q/Q	Sec	т	R	Lease	Footages f/ Sec Lines -	ADI Number	=====	Well
					Number		API Number	FIELD	Туре
Asphalt Wash 11-16-11-24	NESW	16	118	24E	ML-73921	2000 FSL & 1900 FWL	43-047-37088	Undesignated	Gas
Asphalt Wash 12-16-11-24	NWSW	16	115	24E	ML-47080	2060 FSL & 839 FWL	43-047-36873	Undesignated	Gas
Asphalt Wash 14-16-11-24	SESW	16	118	24E	ML-47080	537 FSL & 2140 FWL	43-047-36876	Undesignated	Gas
Asphalt Wash 3-16-11-24	NENW	16	115	24E	ML-47080	825 FNL & 2116 FWL	43-047-36886	Undesignated	Gas
Asphalt Wash 4-16-11-24	NWNW	16	115	24E	ML-47080	521 FNL & 766 FWL	43-047-36885	Undesignated	Gas
Asphalt Wash 5-16-11-24	SWNW	16	115	24E	ML-47080	1880 FNL & 630 FWL	43-047-37089	Undesignated	Gas
Asphalt Wash 7-16-11-24	SWNE	16	115	24E	ML-47080	1781 FNL & 1676 FEL	43-047-36874	Undesignated	Gas
Asphalt Wash 8-16-11-24	SENE	16	115	24E	ML-47080	1905 FNL & 642 FEL	43-047-36875	Undesignated	Gas
Bonanza 14-20	SESW	20	98	25E	ML-45558	838' FSL & 1,922' FWL	43-047-35930	Chapita Wells	Gas
Bonanza 4-20	NWNW	20	98	25E		933' FNL & 583 FWL	43-047-35924	Chapita Wells	Gas
Bonanza 4-29	NWNW	29	98	25E	ML-45559	600' FNL & 596' FWL	43-047-36010	Chapita Wells	Gas
Bonanza 4-36	NWNW	36	98	24E		258' FNL & 862' FWL	43-047-35861	Natural Buttes	Gas
Bonanza 6-20	SENW	20	9S 12S	25E 21F	ML-45558	2,178' FNL & 1,839' FWL	43-047-35928	Chapita Wells	Gas
Buck Canyon 9-16-12-21	NESE	16				1980' FSL & 660' FEL	43-047-37091	Buck Canyon	Gas
Buck Canyon 11-16-12-21	NESW	16	128	21W		NA .	43-047-37119	Undesignated	Gas
Buck Canyon 13-16-21-21	SWSW	16		21W		NA	43-047-37118	Undesignated	Gas
Buck Canyon 15-16-12-21	SWSE	16		21W	ML-47085	NA COSTELL	43-047-37120	Buck Canyon	Gas
East Bench 1-16	NENE	16	118	22E	ML-46911	660' FNL & 660' FEL	43-047-36126	Undesignated	Gas
East Bench 15-16	SWSE	16	115	22E	ML-46911	545' FSL & 1,848' FEL	43-047-36128	Undesignated	Gas
East Bench 3-16	NENW	16	115	22E	ML-46911	832' FNL & 1,978' FWL	43-047-36125	Undesignated	Gas
East Bench 7-16	SWNE	16	118	22E	ML-46911	1,909' FNL & 1,643' FEL	43-047-36127	Undesignated	Gas
East Bench 12-16-11-22	NWSW	16	118	22E		1862 FSL & 838 FEL	43-047-37128	Undesignated	Gas
East Bench 13-16-11-22	SWSW	16	115	22E	ML-46911	880 FSL & 750 FWL	43-047-37130	Undesignated	Gas
East Bench 14-16-11-22	SESW	16	115	22E	ML-46911	848 FSL & 1930 FWL	43-047-37122	Undesignated	Gas
East Bench 16-16-11-22	SESE	16	118	22E	ML-46911	663 FSL & 1055 FEL	43-047-37121	Undesignated	Gas
East Bench 2-16-11-22	NWNE	16	115	22E	ML-46911	705 FNL & 2077 FEL	43-047-37125	Undesignated	Gas
East Bench 4-16-11-22	NWNW	16	115	22E	ML-46911	760 FNL & 860 FWL	43-047-37126	Undesignated	Gas
East Bench 5-16-11-22	SWNW	16	115	22E	ML-46911	1980 FNL & 758 FWL	43-047-37129	Undesignated	Gas
East Bench 6-16-11-22	SENW	16	115	22E	ML-46911	1887 FNL & 2138 FWL	43-047-37124	Undesignated	Gas
East Bench 8-16-11-22	SENE	16	115	22E	ML-46911	1880 FNL & 780 FEL	43-047-37127	Undesignated	Gas
East Bench 9-16-11-22	NESE	16	115	22E	ML-46911	2035 FSL & 1422 FEL	43-047-37123	Undesignated	Gas
Gusher 6-2	SENW	2	69	19E		1550 FNL 1025 FWL	49-047-36963	Moffit Canal	Oil
Hanging Rock 1-32	NENE	32	115	23E		542' FNL & 690' FEL	43-047-36309	Undesignated	Gas
Little Pack Mountain 1-16	NWNW	16	128	20E		609 FNL & 688 FEL	43-047-36981	Wildcat	Gas
Little Pack Mountain 7-32	SWNE	32	128	20E	ML-47083	1792 FNL & 1797 FEL	43-047-36980	Wildcat	Gas
Rock House 12-36-10-23	NWSW	36	108	23E	ML-47907	1844 FSL & 755 FWL	43-047-36534	Natural Buttes	Gas
Rock House 13-32-10-23	SWSW	32	105	23E		564 FSL & 471 FWL	43-047-36411	Natural Buttes	Gas
Rock House 1-36-10-22	NENE	36	108	22E		620 FNL & 850 FEL	43-047-36408	Natural Buttes	Gas
Rock House 3-36-10-22	NENW	36	108			934 FNL & 1783 FWL	43-047-36407	Natural Buttes	Gas
Rock House 4-32-10-23	SWNW	32	108			1406 FNL & 562 FWL	43-047-36412	Natural Buttes	Gas
Rock House 7-36-10-22	SWNE	36	108			2209 FNL & 2445 FEL	43-047-36409	Natural Buttes	Gas
Rock House 9-32-10-23	NESE	32	105			2008 FSL & 1042 FEL	- 43 047 36337 -	Natural Buttos	Gas
Rockhouse #13-36	SWSW	36	108			486 FSL & 844' FWL	43-047-35902	Natural Buttes	Gas
Rockhouse 16-2	SESE	2	115			909' FSL & 748' FEL	43-047-36152	Rockhouse	Gas
Seep Springs 10-13-12-24	NWSE	13	128	24E		1950 FSL & 1802 FEL	43-047-36634	Undesignated	Gas
Seep Springs 1-13-12-24	NENE	13	128			753 FNL & 487 FEL	43-047-36628	Undesignated	Gas
Seep Springs 15-11-12-24	SWSE	11	128			829 FSL & 2178 FEL	43-047-36626	Undesignated	Gas
Seep Springs 15-13-12-24	SWSE	13	128			622 FSL & 1806 FEL	43-047-36630	Undesignated	Gas
Seep Springs 16-11-12-24	SESE	11	128			659 FSL & 466 FEL	43-047-36625	Undesignated	Gas
Seep Springs 16-13-12-24	SESE	13	125			686 FSL & 640 FEL	43-047-36629	Undesignated	Gas
Seep Springs 2-13-12-24	NWNE	13	128			465 FNL & 1807 FEL	43-047-36627	Undesignated	Gas
Seep Springs 7-13-12-24	SWNE	13	125	24E	ML-49275	FNL & FEL	43-047-36631	Undesignated	Gas
Seep Springs 8-13-12-24	SENE	13	128	24E	ML-49275	1969 FNL & 642 FEL	43-047-36632	Undesignated	Gas
Seep Springs 9-13-12-24	NESE	13	128	24E	ML-49275	663 FSL & 1960 FEL	43-047-36633	Undesignated	Gas
Southman Canyon 11-36-9-23	NESW	36	98	23F	MI -47782	1965 FSL & 1953 FWL	43-047-36535	Natural Buttes	Gas
Southman Canyon 13-36-9-23	SWSW	36		23E				- Natural Buttes	

TRANSFER OF OPERATOR STATE OF UTAH APPROVED AND PERSONS

PREVIOUS OPERATOR: Houston Exploration Company

NEW OPERATOR: Enduring Resources, LLC EFFECTIVE DATE: September 1st, 2005

Well Name	Q/Q	Sec	Т	R	Lease Number	Footages f/ Sec Lines - SL	API Number	FIELD	Well Type
Southman Canyon 1-36-9-23	NENE	36	98	23E	ML-47782	681 FNL & 496 FEL	43-047-36537	Natural Buttes	Gas
Southman Canyon 15-36-9-23	SWSE	36	98	23E		529 FSL & 1784 FEL	43-047-36529	Natural Buttes	
Southman Canyon 3-36-9-23	NENW	36	98	23E		464 FNL & 1815 FWL	43-047-36530		Gas
Southman Canyon 5-36-9-23	SWNW	36	98	23E		2028 FNL & 499 FWL	43-047-36531	Natural Buttes	Gas
Southman Canyon 7-36-9-23	SENE	36	98	23E		2184 FNL & 1994 FEL	43-047-36536	Natural Buttes	Gas
Southman Canyon 9-36-9-23	NESE	36	95	23E		1978 FNL & 657 FEL	43-047-36533	Natural Buttes Natural Buttes	Gas Gas

RANSFER OF OPERATO BLM PENDING WELLS

PREVIOUS OPERATOR: Houston Exploration Company

NEW OPERATOR: Enduring Resources, LLC EFFECTIVE DATE: September 1st, 2005

					Lease	Footages f/ Sec Lines -	
Well Name	Q/Q	Sec	Т	R	Number	SL	API Number
Asphalt Wash 13-6	SW/SW	6	-116	24E	UTU-73919	400' FSL & 550' FWL	
Asphalt Wash 10-9-11-24	NW SE	9	118	24E	UTU-73920	1846 FSL & 1942 FEL	43-047-37071
Asphalt Wash 11-9-11-24	NE SW	9	115	24E	UTU-73920	1799 FSL & 1782 FWL	43-047-37073
Asphalt Wash 12-6-11-24	NW SW	6	118	24E	UTU-73919	1844 FSL & 683 FWL	43-047-37066
Asphalt Wash 14-6-11-24	SE SW	6	118	24E	UTU-73919	704 FSL & 2123 FWL	43-047-37067
Asphalt Wash 14-9-11-24	SE SW	9	118	24E	UTU-73920	460 FSL & 2115 FWL	43-047-37076
Asphalt Wash 15-9-11-24	SW SE	9	11S	24E	UTU-73920	804 FSL & 1990 FEL	43-047-37074
Asphalt Wash 16-9-11-24	SE SE	9	118	24E	UTU-73920	826 FSL & 472 FEL	43-047-37075
Asphalt Wash 2-6-11-24	NW NE	6	118	24E	UTU-73919	735 FNL & 1590 FEL	43-047-37061
Asphalt Wash 2-7-11-24	NW NE	7	118	24E	UTU-73919	621 FNL & 2462 FEL	43-047-37068
Asphalt Wash 2-9-11-24	NW NE	9	118	24E	UTU-73920	829 FNL & 1774 FEL	43-047-37070
Asphalt Wash 3-6-11-24	NE NW	6	118	24E	UTU-73919	792 FNL & 1925 FWL	43-047-37062
Asphalt Wash 4-6-11-24	NW NW	6	115	24E	UTU-73919	820 FNL & 1007 FWL	43-047-37063
Asphalt Wash 5-6-11-24	SW NW	6	118	24E	UTU-73919	1738 FNL & 716 FWL	43-047-37064
Asphalt Wash 6-7-11-24	SE NW	7	118	24E	UTU-73919	2013 FNL & 2241 FWL	43-047-37069
Asphalt Wash 7-6-11-24	SW NE	6	118	24E	UTU-73919	1616 FNL & 1615 FEL	43-047-37065
Asphalt Wash 7-9-11-24	SE NE	9	11S	24E	UTU-73920	1883 FNL & 1854 FEL	43-047-37072
Asphalt Wash 1-7-11-24	NE NE	7	118	24E	UTU-73919	426 FNL & 270 FEL	43-047-37084
Asphalt Wash 4-7-11-24	NW NW	7	118	24E	UTU-73919	856 FNL & 860 FWL	43-047-37085
Asphalt Wash 7-7-11-24	SW NE	7	118	24E	UTU-73919	1909 FNL & 1893 FEL	43-047-37087
Asphalt Wash 8-7-11-24	SE NE	7	118	24E	UTU-73919	1998 FNL & 683 FEL	43-047-37086
Bonanza 4-7	NW/NW	7	98	24E	UTU-73457	809' FNL & 670' FWL	43-047-36017
Bonanza 8-17	SW/NE	17	98	24E	UTU-73457	1865' FNL & 584' FEL	43-047-36041
Bonanza 11-11-9-23	NE SW	11	98	23E	UTU-74426	2036 FSL & 2043 FWL	43-047-36649
Bonanza 11-12-9-23	NE SW	12	98	23E	UTU-74426	1799 FSL & 1948 FWL	43-047-36655
Bonanza 11-18-9-24	NE SW	18	98	24E	UTU-73457	1785 FSL & 2133 FWL	43-047-36637
Bonanza 12-23-9-24	NW/SW	23	98	24E	UTU-81311	1882 FSL & 699 FWL	43-047-36640
Bonanza 12-35	NW/SW	35	98	24E	UTU 73459	1374' FSL & 858' FWL	43-047-36020
Bonanza 13-11-9-23	SW SW	11	98	23E	UTU-74426	463 FSL & 773 FWL	43-047-36650
Bonanza 13-12-9-23	SW SW	12	98	23E		661 FSL & 656 FWL	43-047-36528
Bonanza 13-18-9-24	sw sw	18	98	24E	UTU-73457	767 FSL & 583 FWL	43-047-36638
Bonanza 14-11-9-23	SE SW	11	98	23E		756 FSL & 1859 FWL	43-047-36651
Bonanza 14-23-9-24	SE/SW	23	98	24E		560 FSL & 1878 FWL	43-047-36641
Bonanza 15-11-9-23	SW SE	11	98	23E	UTU-74426	660 FSL & 1980 FEL	43-047-36652
Bonanza 15-12-9-23	SW SE	12	98	23E	UTU-74426	607 FSL & 1920 FEL	43-047-36656
Bonanza 15-18-9-24	SW SE	18	98	24E'	UTU-73457	463 FSL & 2162 FEL	43-047-36639
Bonanza 16-12-9-23	SE SE	12	98	23E	UTU-74426	855 FSL & 536 FEL	43-047-36657
Bonanza 16-8	SE/SE	8	98	24E	UTU-73457	588' FSL & 524' FEL	43-047-36101
Bonanza 2-11-9-23	NW NE	11	98	23E	UTU 74426	664 FNL & 1925 FEL	43-047-36643
Bonanza 2-12-9-23	NW NE	12	98	23E		743 FNL & 1962 FEL	43-047-36527
Bonanza 3-11-9-23	NE NW	11	98	23E		499 FNL & 1898 FWL	43-047-36644
Bonanza 3-12-9-23	NE NW	12	98	23E	UTU-74426	734 FNL & 1866 FWL	43-047-36524
Bonanza 4-35	NW/NW	35	98	24E	UTU 73459	789' FNL & 807' FWL	43-047-35925
Bonanza 5-11-9-23	SW NW	11	98	23E		1794 FNL & 609 FWL	43-047-36645
- VIIGHZQ V- 1 1-3-23	344 1444				J10/7720	17071112 0 000 1 112	10 071 0000

P:\Operations\Drilling\Uinta 9/20/2005

RANSFER OF OPERATOR BLM PENDING WELLS

PREVIOUS OPERATOR: Houston Exploration Company

NEW OPERATOR: Enduring Resources, LLC EFFECTIVE DATE: September 1st, 2005

						Factoria & Carlina	
	010		_		Lease	Footages f/ Sec Lines -	API Number
Well Name	Q/Q	Sec	Т	R	Number	SL	
Bonanza 5-12-9-23	SW NW	12	98	23E	UTU-74426	1996 FNL & 558 FWL	43-047-36526
Bonanza 5-18-9-24	SW NW	18	98	24E		2147 FNL & 662 FWL	43-047-36635
Bonanza 5-22	SW/NW	22	88	25E		1,932' FNL & 415' FWL	43-047-35918
Bonanza 5-24-9-24	SW/NW	24	98	24E		2167 FNL & 714 FWL	43-047-36642
Bonanza 6-11-9-23	SE NW	11	98	23E		2069 FNL & 1801 FWL	43-047-36646
Bonanza 6-12-9-23	SE NW	12	98	23E		2114 FNL & 1871 FWL	43-047-36525
Bonanza 7-11-9-23	SW NE	11	98	23E		2060 FNL & 2134 FEL	43-047-36647
Bonanza 7-12-9-23	SW NE	12	98	23E		2065 FNL & 2159 FEL	43-047-36653
Bonanza 8-35	SENE	35	98	24E		1987' FNL & 909' FEL	43-047-36105
Bonanza 9-11-9-23	NE SE	11	98	23E		2008 FSL & 553 FEL	43-047-36648
Bonanza 9-12-9-23	NE SE	12	98	23E		1980 FSL & 660 FEL	43-047-36654
Bonanza 9-18-9-24	NE SE	18	98	24E		2009 FSL & 852 FEL	43-047-36636
Bonanza 9-22	NE/SE	22	98	24E		1,969' FSL & 495' FEL	43-047-36102
East Bench 9-20	NE/SE	20	118	22E	UTU-73905	2,170' FSL & 472' FEL	43-047-36275
Rock House 12-30-10-23	NE SW	30	105	23E	UTU-76281	2320 FSL & 1980 FWL	43-047-36548
Rock House 12-31-10-23	NW SW	31	108	23E	UTU-76281	1900 FSL & 460 FWL	43-047-36552
Rock House 13-30-10-23	SW SW	30	108	23E	UTU-76281	553 FSL & 573 FWL	43-047-36549
Rock House 14-31-10-23	SE SW	31	105	23E	UTU-76281	860 FSL & 1890 FWL	43-047-36553
Rock House 3-31-10-23	NE NW	31	108	23E	UTU-76281	854 FNL & 1940 FWL	43-047-36551
Rock House 5-30-10-23	SW NW	30	105	23E	UTU-76281	1858 FNL & 703 FWL	43-047-36547
Rock House 5-31-10-23	SW NW	31	108	23E	UTU-76281	2055 FNL & 2097 FWL	43-047-36550
Rock House 6-31-10-23	SE NW	31	105	23E	UTU-76281	2059 FNL & 2111 FWL	43-047-36554
Reckhouse #12-30	-NW/SW-	-30-	108	23E	- UTU-80571-	1,980' FSL & 660' FWL	43-047-36018 🗙
Rockhouse 13C-31	SW/SW	31	108	23E	UTU-76281	135' FSL & 365' FWL	43-047-35911
Rockhouse 4D-30	NW NW	30	108	23E	UTU-76281	1,116 FNL & 1,135' FWL	43-047-35882
Rockhouse 4D-31	NW NW	31	108	23E	UTU-76281	990' FNL & 990' FWL	43-047-35807
Southman Canyon 12-3-11-24	NW/SW	3	118	24E	UTU-73918	1,950' FSL & 514' FWL	43-047-36272
Southman Canyon 12-30-10-24	NW/SW	30	108	24E	UTU-65371	2,118' FSL & 502' FWL	43-047-36238
Southman Canyon 13-30	SW/SW	30	98	24E	UTU-80571	765' FSL & 303' FWL	43-047-36018
Southman Canyon 16-31-10-24	SE/SE	31	108	24E	UTU-65371	621' FSL & 575' FEL	43-047-36270
Southman Canyon 4-30-10-24	NW/NW	30	10S	24E	UTU 65371	649' FNL & 607' FWL	43-047-36237
Southman Canyon 5-19-10-24	SW/NW	19	108	24E	UTU-65371	1,978' FNL & 855' FWL	43-047-36236
Southman Canyon 6-30	SE/NW	30	98	24E	UTU-80571	2,015' FNL & 2,581' FWL	43-047-36103

x Duplicate API -Different well name

OPERATOR CHANGE WORKSHEET

ROUTING 1. DJJ

2. CDW

X Change of Operator (Well Sold)

6b. Inspections of LA PA state/fee well sites complete on:

Designation of Agent/Operator

Operator Name Change

Merger

The operator of the well(s) listed below has changed, effective:			9/1/2005						
FROM: (Old Operator):			TO: (New Operator):				7		
N2525-The Houston Exploration Company				N2750-Enduri		s. LLC			ı
1100 Louisiana, Suite 2000					th Street, Su				
Houston, TX 77002					r, CO 80202				
Phone: 1-(713) 830-6938				Phone: 1-(303	350-5102				ı
C	A No.			Unit:					7
WELL(S)				<u> </u>					\dashv
NAME	SEC	TW	N RNG	API NO	ENTITY	LEASE	WELL	WELL	1
BONANZA 2-11-9-23	111	Toogs	Iggor	4204726642	NO	TYPE	TYPE	STATUS	4
	11			4304736643	-	Federal	GW	APD	C
BONANZA 3-11-9-23 BONANZA 5-11-9-23	11			4304736644		Federal	GW	APD	C
	11			4304736645	-	Federal	GW	APD	С
BONANZA 6-11-9-23	11			4304736646	<u> </u>	Federal	GW	APD	C
BONANZA 7-11-9-23	11	-		4304736647		Federal	GW	APD	С
BONANZA 9-11-9-23	11			4304736648		Federal	GW	APD	С
BONANZA 11-11-9-23	11			4304736649	ļ	Federal	GW	APD	C
BONANZA 13-11-9-23	11			4304736650		Federal	GW	APD	C
BONANZA 14-11-9-23	11		230E	4304736651		Federal	GW	APD	С
BONANZA 15-11-9-23	11			4304736652		Federal	GW	APD	C
BONANZA 7-12-9-23	12			4304736653		Federal	GW	APD	C
BONANZA 9-12-9-23	12		-	4304736654	<u> </u>	Federal	GW	APD	С
BONANZA 11-12-9-23	12			4304736655		Federal	GW	APD	С
BONANZA 15-12-9-23	12	0908		4304736656		Federal	GW	APD	C
BONANZA 16-12-9-23	12		230E	4304736657	1	Federal	GW	APD	C
BONANZA 9-18-9-24	18	090S		4304736636		Federal	GW	APD	C
BONANZA 11-18-9-24	18	090S	240E	4304736637		Federal	GW	APD	C
BONANZA 13-18-9-24	18	090S	240E	4304736638		Federal	GW	APD	C
BONANZA 15-18-9-24	18	090S	240E	4304736639		Federal	GW	APD	C
BONANZA 12-23-9-24	23	090S	240E	4304736640		Federal	GW	APD	C
BONANZA 14-23-9-24	23	090S	240E	4304736641		Federal	GW	APD	C
ASPHALT WASH 2-6-11-24	06	1108	240E	4304737061		Federal	GW	APD	C
OPERATOR CHANGES DOCUM Enter date after each listed item is complet 1. (R649-8-10) Sundry or legal documentat 2. (R649-8-10) Sundry or legal documentat	ted tion was rec	eived f		-		9/26/200			
3. The new company was checked on the D	epartment	of Cor	nmerce	. Division of C	orporations	Database	on:	9/29/2005	
4. Is the new operator registered in the State				Business Numl	-	771233-01			_
5. If NO, the operator was contacted contact				· · · · · · · · · · · · · · · · · · ·	JOI. J		_		
6a. (R649-9-2)Waste Management Plan has b		ed on:			Requested	9/29/05			

n/a

6c.	Reports current for Production/Disposition & Sundries on:	9/29/2005	_			
7.	Federal and Indian Lease Wells: The BLM and or the I or operator change for all wells listed on Federal or Indian leases of	BIA has approv	ved the BLM	merger, na not yet	ame cha BIA	nge, n/a
8.	Federal and Indian Units: The BLM or BIA has approved the successor of unit operator fo	r wells listed on:			not ye	t
9.	Federal and Indian Communization Agreements (" The BLM or BIA has approved the operator for all wells listed wells approved the operator for all wells listed wells."	vithin a CA on:		n/a		
10	Underground Injection Control ("UIC") The D Inject, for the enhanced/secondary recovery unit/project for the w	vivision has appro rater disposal well			ansfer of <u>n/a</u>	
D ₂	ATA ENTRY: Changes entered in the Oil and Gas Database on:	9/29/2005				
2.	Changes have been entered on the Monthly Operator Change Sp			9/29/200	<u>)5</u>	
3.	Bond information entered in RBDMS on:	9/30/2005				
4.	Fee/State wells attached to bond in RBDMS on:	9/30/2005				
5.	Injection Projects to new operator in RBDMS on:	n/a				
6.	Receipt of Acceptance of Drilling Procedures for APD/New on:		9/26/200)5		
F)	EDERAL WELL(S) BOND VERIFICATION: Federal well(s) covered by Bond Number:	UTB000173	•			
IN	IDIAN WELL(S) BOND VERIFICATION: Indian well(s) covered by Bond Number:	n/a	•			
F)	EE & STATE WELL(S) BOND VERIFICATION: (R649-3-1) The NEW operator of any fee well(s) listed covered by	by Bond Number		RLB0008	8031	
2.	The FORMER operator has requested a release of liability from the Division sent response by letter on:	heir bond on:	n/a			
1 3.	EASE INTEREST OWNER NOTIFICATION: (R649-2-10) The FORMER operator of the fee wells has been confident of their responsibility to notify all interest owners of this change of	ntacted and information:	med by a n/a	letter from	the Divis	ion
C	OMMENTS:					
_						
_						

STATE OF UTAH

	DEPARTMENT OF NATURAL RESOU	IRCES		1 Ortin 5
	5. LEASE DESIGNATION AND SERIAL NUMBER: UTU-74426			
SUNDR	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:			
Do not use this form for proposals to drill drill horizontal	new wells, significantly deepen existing wells below cu laterals. Use APPLICATION FOR PERMIT TO DRILL	irrent bottom-hole depi	th, reenter plugged wells, or to	7. UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL OIL WELL		Total Court propose		8. WELL NAME and NUMBER:
2. NAME OF OPERATOR:				Bonanza 15-11-9-23
Enduring Resources, LLC				9. API NUMBER: 4304736652
3. ADDRESS OF OPERATOR:	_		PHONE NUMBER:	10. FIELD AND POOL, OR WILDCAT:
475 17th Street, Suite 1500	Ty Denver STATE CO ZIE	80202	(303) 350-5114	Natural Buttes
FOOTAGES AT SURFACE: 607' F	⁻ SL - 1,920' FEL			соинту: Uintah
QTR/QTR, SECTION, TOWNSHIP, RAP	NGE, MERIDIAN: SWSE 11 9S 2	23E S		STATE: UTAH
11. CHECK APP	ROPRIATE BOXES TO INDICAT	TE NATURE (OF NOTICE REPO	RT OR OTHER DATA
TYPE OF SUBMISSION			PE OF ACTION	CI, ON OTHER DATA
[7] NOTICE OF INTENT	ACIDIZE	DEEPEN		REPERFORATE CURRENT FORMATION
NOTICE OF INTENT (Submit in Duplicate)	ALTER CASING	FRACTURE	TREAT	SIDETRACK TO REPAIR WELL
Approximate date work will start:	CASING REPAIR	NEW CONS	TRUCTION	TEMPORARILY ABANDON
3/23/2006	CHANGE TO PREVIOUS PLANS	OPERATOR	CHANGE	TUBING REPAIR
	CHANGE TUBING	PLUG AND A	ABANDON	VENT OR FLARE
SUBSEQUENT REPORT	CHANGE WELL NAME	PLUG BACK		WATER DISPOSAL
(Submit Original Form Only) Date of work completion:	CHANGE WELL STATUS	PRODUCTIO	N (START/RESUME)	WATER SHUT-OFF
Date of work completion.	COMMINGLE PRODUCING FORMATIONS	RECLAMATE	ON OF WELL SITE	✓ OTHER: Request for APD
	CONVERT WELL TYPE	RECOMPLET	TE - DIFFERENT FORMATION	Extension
	Approved Utah Divis Oil, Gas and Date: By:	n to the expire by the		
NAME (PLEASE PRINT) Alvin R. (A	N) Arlian		Landman - Regula	atory Specialist

(This space for State use only)

SIGNATURE _____

DATE 3/23/2006



Application for Permit to Drill Request for Permit Extension Validation

Validation
(this form should accompany the Sundry Notice requesting permit extension)

API: 4304736652 Well Name: Bonanza 15-11-9-23 Location: 607' FSL - 1,920' FEL, SWSE, Sec. 11 T9S-R23E Company Permit Issued to: The Houston Exploration Company Date Original Permit Issued: 4/28/2005					
The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision.					
Following is a checklist of some items related to the application, which should be verified.					
f located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes□No□					
Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes☐ No ☑					
Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes□No☑					
Have there been any changes to the access route including ownership, or right-of-way, which could affect the proposed location? Yes□No ☑					
Has the approved source of water for drilling changed? Yes□No☑					
Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes□No☑					
s bonding still in place, which covers this proposed well? Yes ☑No ☐					
3/23/2006					
Signature Date					
Title: Landman - Regulatory Specialist					
Representing: Enduring Resources, LLC					

FORM 9

U walde liev Brie e les wie

STATE OF UTAH

DEPARTMENT OF NATURAL RESOURCES

	5. LEASE DESIGNATION AND SERIAL NUMBER: UTU-74426				
SUNDRY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:				
Do not use this form for proposals to drill n	7. UNIT or CA AGREEMENT NAME:				
drill horizontal to 1. TYPE OF WELL OIL WELL	aterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	8. WELL NAME and NUMBER:			
2. NAME OF OPERATOR:	GAS WELL W OTHER	Bonanza 9-23-34-11 9. API NUMBER:			
Enduring Resources, LLC		4304736652			
3. ADDRESS OF OPERATOR: 475 17th Street, Suite 1500	Denver STATE CO ZIP 80202 PHONE NUMBER: (303) 350-5114	10. FIELD AND POOL, OR WILDCAT: Natural Buttes			
4. LOCATION OF WELL FOOTAGES AT SURFACE: 607' F		соинту: Uintah			
QTR/QTR, SECTION, TOWNSHIP, RAN	IGE, MERIDIAN: SWSE 11 9S 23E S	STATE: UTAH			
11. CHECK APPI	ROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPO	ORT, OR OTHER DATA			
TYPE OF SUBMISSION	TYPE OF ACTION				
NOTICE OF INTENT	ACIDIZE DEEPEN	REPERFORATE CURRENT FORMATION			
(Submit in Duplicate)	ALTER CASING FRACTURE TREAT	SIDETRACK TO REPAIR WELL TEMPORARILY ABANDON			
Approximate date work will start:	CASING REPAIR NEW CONSTRUCTION CHANGE TO PREVIOUS PLANS OPERATOR CHANGE	TUBING REPAIR			
		VENT OR FLARE			
SUBSEQUENT REPORT		WATER DISPOSAL			
(Submit Original Form Only)	CHANGE WELL NAME PLUG BACK CHANGE WELL STATUS PRODUCTION (START/RESUME)	☐ WATER SHUT-OFF			
Date of work completion:	COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL SITE	✓ other: Request for APD			
	CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATION	Extension			
12. DESCRIBE PROPOSED OR CO	OMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volum	nes, etc.			
Enduring Resources, LLC	respectfully request an extension to the expiration date of this Ap	oplication for Permit to Drill			
FROM: 4-5-2007 TO: 4-5-2008					
10. 4-3-2000	Approved by the				
	Utah Division of				
	Oil, Gas and Mining				
	,				
	Date: 04-05-07				
		4			
	By:	4607			
IZM					
NAME (PLEASE PRINT) Evette Bis	sett _{TITLE} Regulatory Affair	rs Assistant			
MAINE (PLEASE PRINT)	A/1/2007				
SIGNATURE SUCCES	DATE 4/1/2007				

(This space for State use only)

RECEIVED APR 0 5 2007

Application for Permit to Drill Request for Permit Extension **Validation**

(this form should accompany the Sundry Notice requesting permit extension)

API:

4304736652

Well Name: Bonanza 9-23-34-11 Location: 607' FSL - 1,920' FEL, SWSE, Sec. 11 T9S-R23E Company Permit Issued to: The Houston Exploration Company Date Original Permit Issued: 4/28/2005
The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision.
Following is a checklist of some items related to the application, which should be verified.
If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes□No□
Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes☐No☑
Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes□No☑
Have there been any changes to the access route including ownership, or right- of-way, which could affect the proposed location? Yes ☐ No ☑
Has the approved source of water for drilling changed? Yes□No☑
Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes□No☑
ls bonding still in place, which covers this proposed well? Yes ☑No□
Signature A/1/2007 Date
Title: Regulatory Affairs Assistant
Representing: Enduring Resources, LLC
RECEIVED

APR 0 5 2007

STATE OF UTAH

DEPARTMENT OF NATURAL RESOURCES

DIVISION OF OIL, GAS AND MINING				E DESIGNATION AND SERIAL NUMBER:	
SUNDRY NOTICES AND REPORTS	6. IF IN	DIAN, ALLOTTEE OR TRIBE NAME:			
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form	7. UNIT or CA AGREEMENT NAME:				
1 TYPE OF WELL	n for such proposal	ls.		L NAME and NUMBER:	
OIL WELL GAS WELL OTHER				anza 9-23-34-11	
2. NAME OF OPERATOR: Enduring Resources, LLC				NUMBER: 1736652	
3. ADDRESS OF OPERATOR:		PHONE NUMBER:	10. FIELD AND POOL, OR WILDCAT:		
	0202	(303) 350-5114		ural Buttes	
4. LOCATION OF WELL FOOTAGES AT SURFACE: 607' FSL - 1,920' FEL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: SWSE 11 9S 23I	E S		COUNT		
				UTAH	
11. CHECK APPROPRIATE BOXES TO INDICATE	NATURE	OF NOTICE, REPOR	RT, OI	R OTHER DATA	
TYPE OF SUBMISSION	<u> </u>	YPE OF ACTION			
NOTICE OF INTENT	DEEPEN			REPERFORATE CURRENT FORMATION	
(Submit in Duplicate)	FRACTURE	TREAT		SIDETRACK TO REPAIR WELL	
Approximate date work will start: CASING REPAIR	NEW CONS	TRUCTION		TEMPORARILY ABANDON	
CHANGE TO PREVIOUS PLANS	OPERATOR	CHANGE		TUBING REPAIR	
CHANGE TUBING	PLUG AND	ABANDON		VENT OR FLARE	
SUBSEQUENT REPORT CHANGE WELL NAME (Submit Original Form Only)	PLUG BACK	<		WATER DISPOSAL	
Date of work completion:	PRODUCTIO	ON (START/RESUME)		WATER SHUT-OFF	
COMMINGLE PRODUCING FORMATIONS	RECLAMAT	ION OF WELL SITE	✓	OTHER: Request for APD	
CONVERT WELL TYPE	RECOMPLE	TE - DIFFERENT FORMATION		Extension	
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all per	rtinent details in	cluding dates, depths, volume	es, etc.		
Enduring Decourage 11.0 segments the segment of a segment of	4-41			for D = 21 t D 21	
Enduring Resources, LLC respectfully request an extension	to the expir	ration date of this App	olicatio	on for Permit to Drill	
FROM: 4-5-2008 TO: 4-5-2009					
	and the second of the second o	Approved by the Utah Division of Oil, Gas and Min	O1		
COPY SENT TO OPERATOR	Da	ate: 04-24-	PS	O	
Date: 4 · 28 · 2008	B	v: Drodlest	KIK		
Initials: 145			7		
NAME (PLEASE PRINT) Alvin R. Arlian	ТІТІ	Landman - Reg	ulator	y Specialist	
SIGNATURE FLYCH R. FINE	DA1	4/17/2007			
(This space for State use only)					

RECEIVED

APR 2 1 2008

Application for Permit to Drill Request for Permit Extension Validation

(this form should accompany the Sundry Notice requesting permit extension)

	4304736652				
Well Name: Location:	Bonanza 9-23-34-11 607' FSL - 1.920' FI	ı EL, SWSE, Sec. 11 T9S-R231	7		
Company Per	mit Issued to:	The Houston Exploration C	Company		
Date Original	Permit Issued:	4/28/2005			
above, hereby	verifies that the	n legal rights to drill on t information as submitte mains valid and does n	the property as permitted ed in the previously ot require revision.		
Following is a verified.	checklist of some	e items related to the ap	oplication, which should be		
	rivate land, has t en updated? Yes	the ownership changed, s□No□	, if so, has the surface		
Have any wells the spacing or	Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes□No☑				
Has there bee permitting or o	n any unit or othe peration of this p	er agreements put in pla proposed well? Yes⊡N	ace that could affect the o☑		
	Have there been any changes to the access route including ownership, or right-of-way, which could affect the proposed location? Yes□No ☑				
Has the appro-	ved source of wa	ater for drilling changed	? Yes□No☑		
Have there be which will requevaluation? Ye	ıire a change in p	changes to the surface plans from what was dis	location or access route scussed at the onsite		
Is bonding still	in place, which o	covers this proposed w	ell? Yes ☑ No □		
			3/27/2008		
Signature			Date		
Title: Landman	ı - Regulatory Specia	alist			
Representing:	Enduring Resourc	ces, LLC			
			RECEIVED APR 2 1 2008		
			APR 2 1 2000		
			" · · ~ · 2008		

DIV. OF OIL, GAS & MINING

STATE OF UTAH

DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING ONFIDENTIAL

BIVIOLON OF OIL, OAD AND IMITAIN CUNFIDENTIAL	UTU-74426
SUNDRY NOTICES AND REPORTS ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	7. UNIT OF CA AGREEMENT NAME:
1. TYPE OF WELL OIL WELL GAS WELL OTHER	8. WELL NAME and NUMBER: Bonanza 9-23-34-11
2. NAME OF OPERATOR: Enduring Resources, LLC	9. API NUMBER: 4304736652
3. ADDRESS OF OPERATOR: 475 17th Street, Suite 1500 CITY Denver STATE CO ZIP 80202 PHONE NUMBER: (303) 350-5114	10. FIELD AND POOL, OR WILDCAT: Natural Buttes
4. LOCATION OF WELL FOOTAGES AT SURFACE: 607' FSL - 1,920' FEL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: SWSE 11 9S 23E S	COUNTY: Uintah
	UTAH
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPO	ORT, OR OTHER DATA
TYPE OF SUBMISSION TYPE OF ACTION	
NOTICE OF INTENT	REPERFORATE CURRENT FORMATION
(Submit in Duplicate) ALTER CASING FRACTURE TREAT	SIDETRACK TO REPAIR WELL
Approximate date work will start: CASING REPAIR NEW CONSTRUCTION	TEMPORARILY ABANDON
CHANGE TO PREVIOUS PLANS OPERATOR CHANGE	TUBING REPAIR
CHANGE TUBING PLUG AND ABANDON	VENT OR FLARE
SUBSEQUENT REPORT CHANGE WELL NAME PLUG BACK	WATER DISPOSAL
(Submit Original Form Only) CHANGE WELL STATUS PRODUCTION (START/RESUME)	WATER SHUT-OFF
Date of work completion: COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL SITE	✓ other: Request for APD
CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATION	Extension
Enduring Resources, LLC respectfully requests a one year extension of the expiration date Approved by the	of this Application for Permit to Drill.
Utah Division of Oil, Gas and Mining	
Date: 04-21-09 By:	COPY SENT TO OPERATOR Date: 4 · 22 · 2009 Initials: KS
NAME (PLEASE PRINT) Alvin R. (Al) Arlian	

(This space for State use only)

SIGNATURE

APR 2 0 2009

4/13/2009

DATE



API:

Application for Permit to Drill Request for Permit Extension

Validation (this form should accompany the Sundry Notice requesting permit extension)

API: 4304736652 Well Name: Bonanza 9-23-34-11 Location: 607' FSL - 1,920' FEL, SWSE, Sec. 11 T9S-R23E Company Permit Issued to: The Houston Exploration C Date Original Permit Issued: 4/28/2005					
The undersigned as owner with legal rights to drill on tabove, hereby verifies that the information as submitted approved application to drill, remains valid and does not be submitted.	d in the previously				
Following is a checklist of some items related to the apverified.	pplication, which should be				
If located on private land, has the ownership changed, agreement been updated? Yes□No□	if so, has the surface				
Have any wells been drilled in the vicinity of the proposithe spacing or siting requirements for this location? Ye					
	Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes□No☑				
Have there been any changes to the access route including ownership, or right-of-way, which could affect the proposed location? Yes□No☑					
Has the approved source of water for drilling changed?	? Yes□No☑				
Have there been any physical changes to the surface I which will require a change in plans from what was dis evaluation? Yes□No☑					
Is bonding still in place, which covers this proposed we	ell? Yes⊠No□				
Signature Signature	<u>4/13/2009</u> Date				
Title: Administrative Assistant					
Representing: Enduring Resources, LLC					
	RECEIVED				

DIV. OF OIL, GAS & MINING

APR 2 0 2009

	STATE OF UTAH		FORM 9
	DEPARTMENT OF NATURAL RESOURCE DIVISION OF OIL, GAS, AND MIN		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-74426
SUND	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:		
Do not use this form for proposition-hole depth, reenter plu DRILL form for such proposals.	7.UNIT or CA AGREEMENT NAME:		
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: BONANZA 9-23-34-11
2. NAME OF OPERATOR: Enduring Resources, LLC			9. API NUMBER: 43047366520000
3. ADDRESS OF OPERATOR: 475 17th Street, Suite 1500 ,	Denver, CO, 80202 303	PHONE NUMBER: 350-5114 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0607 FSL 1920 FEL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSHI Qtr/Qtr: SWSE Section: 11	IP, RANGE, MERIDIAN: Township: 09.0S Range: 23.0E Meridian:	S	STATE: UTAH
11. CHE	CK APPROPRIATE BOXES TO INDICAT	TE NATURE OF NOTICE, REPORT,	OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
✓ NOTICE OF INTENT	☐ ACIDIZE	☐ ALTER CASING	☐ CASING REPAIR
Approximate date work will start: 4/28/2010	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
	☐ CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	☐ DEEPEN ☐ OPERATOR CHANGE	☐ FRACTURE TREAT ☐ PLUG AND ABANDON	 □ NEW CONSTRUCTION □ PLUG BACK
	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
·	☐ TUBING REPAIR	☐ VENT OR FLARE	WATER DISPOSAL
DRILLING REPORT	☐ WATER SHUTOFF	SI TA STATUS EXTENSION	✓ APD EXTENSION
Report Date:	☐ WILDCAT WELL DETERMINATION	OTHER	OTHER:
12. DESCRIBE PROPOSED OR CO	OMPLETED OPERATIONS. Clearly show all per	tinent details including dates, depths, v	volumes, etc.
	an one-year extension to APD		
			Approved by the Utah Division of
			Oil, Gas and Mining
			o, cas ana ig
		D	Pate: May 03, 2010
			LOQUILL
			W. Company
NAME (PLEASE PRINT)	PHONE NUMBER		
Alvin Arlian	303 350-5114	Landman-Regulatory	
SIGNATURE N/A		DATE 4/28/2010	



The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Request for Permit Extension Validation Well Number 43047366520000

API: 43047366520000 Well Name: BONANZA 9-23-34-11

Location: 0607 FSL 1920 FEL QTR SWSE SEC 11 TWNP 090S RNG 230E MER S

Company Permit Issued to: ENDURING RESOURCES, LLC

Date Original Permit Issued: 4/28/2005

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the requ

informat uire revi	tion as submitted in sion. Following is a	the previously checklist of son	approved appline items relate	catión to dri d to the appl	II, remains ication, w	s válid and does no nich should be vei	ot rified.
	ated on private land, ed? (() Yes (() N		ship changed,	f so, has the	surface a	greement been	
	any wells been drille requirements for th			ed well whic	th would a	ffect the spacing o	or
	nere been any unit o s proposed well?		ents put in pla	ce that could	affect the	permitting or ope	eratio
	there been any char the proposed locati			ing ownersh	ip, or righ	tof- way, which co	ould
• Has th	ne approved source	of water for dri	lling changed?	Yes 📵	No		
	there been any phys e in plans from wha						a
• Is bor	nding still in place, v	which covers thi	is proposed we	ll? 🌘 Yes	No U	pproved by the tah Division of , Gas and Minin	1
nature:	Alvin Arlian	Date:	4/28/2010				
Title:	Landman-Regulatory	Representing:	ENDURING RES	OURCES, LLC	Date:_	May 03, 2010	
					F	00. rat 111	

Sig

Sundry Number: 14549 API Well Number: 43047366520000

	STATE OF UTAH	CEC.			FORM 9
	DEPARTMENT OF NATURAL RESOUR DIVISION OF OIL, GAS, AND M		3	5.LEAS UTU-7	E DESIGNATION AND SERIAL NUMBER: 4426
SUNDF	RY NOTICES AND REPORT	S ON	I WELLS	6. IF I	NDIAN, ALLOTTEE OR TRIBE NAME:
	sals to drill new wells, significantly deeponged wells, or to drill horizontal laterals			7.UNIT	or CA AGREEMENT NAME:
1. TYPE OF WELL Gas Well					L NAME and NUMBER: NZA 9-23-34-11
2. NAME OF OPERATOR: Enduring Resources, LLC					NUMBER: 2366520000
3. ADDRESS OF OPERATOR: 475 17th Street, Suite 1500,			UMBER: 5114 Ext		D and POOL or WILDCAT: RAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0607 FSL 1920 FEL				COUNT	
QTR/QTR, SECTION, TOWNSHI Qtr/Qtr: SWSE Section: 11	(P, RANGE, MERIDIAN: Township: 09.0S Range: 23.0E Meridian	n: S		STATE: UTAH	
11. CHE	CK APPROPRIATE BOXES TO INDIC	ATE N	ATURE OF NOTICE, REPORT	, OR OT	HER DATA
TYPE OF SUBMISSION			TYPE OF ACTION		
	ACIDIZE		ALTER CASING		CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	☐ CHANGE TO PREVIOUS PLANS		CHANGE TUBING		CHANGE WELL NAME
4/28/2011	☐ CHANGE WELL STATUS		COMMINGLE PRODUCING FORMATIONS		CONVERT WELL TYPE
SUBSEQUENT REPORT	DEEPEN		FRACTURE TREAT		NEW CONSTRUCTION
Date of Work Completion:	OPERATOR CHANGE		PLUG AND ABANDON		PLUG BACK
	PRODUCTION START OR RESUME		RECLAMATION OF WELL SITE		RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION		SIDETRACK TO REPAIR WELL		TEMPORARY ABANDON
	☐ TUBING REPAIR		VENT OR FLARE		WATER DISPOSAL
☐ DRILLING REPORT	☐ WATER SHUTOFF		SI TA STATUS EXTENSION	1	APD EXTENSION
Report Date:	☐ WILDCAT WELL DETERMINATION		OTHER	отн	ER:
12 DESCRIPE BRODOSED OF CO	MPLETED OPERATIONS. Clearly show all p		-		!
	an one-year extension to Af			voiumes,	etc.
- 4	, , , , , , , , , , , , , , , , , , , ,			_	
					Approved by the Utah Division of
					l, Gas and Mining
				ate:_	04/26/2011
				J.	. <u>.00.caN</u> W
			•	sy:_ <u>_</u>	Down Agree
NAME (PLEASE PRINT) Alvin Arlian	PHONE NUMBE 303 350-5114	R	TITLE Landman-Regulatory		
SIGNATURE N/A			DATE 4/25/2011		

Sundry Number: 14549 API Well Number: 43047366520000



The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Request for Permit Extension Validation Well Number 43047366520000

API: 43047366520000 **Well Name:** BONANZA 9-23-34-11

Location: 0607 FSL 1920 FEL QTR SWSE SEC 11 TWNP 090S RNG 230E MER S

Company Permit Issued to: ENDURING RESOURCES, LLC

Date Original Permit Issued: 4/28/2005

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

• If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes No
 Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes No
 Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes No
 Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location? Yes No
• Has the approved source of water for drilling changed? 🔵 Yes 🌘 No
 Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes No
• Is bonding still in place, which covers this proposed well? Yes No

Signature: Alvin Arlian Date: 4/25/2011

Title: Landman-Regulatory Representing: ENDURING RESOURCES, LLC

Form 3160-5 (April 2004)

UNITED STATES DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

FORM APPROVED OM B No. 1004-0137 Expires: March 31, 2007

SUNDRY	NOTICES	AND	REPORTS	ON WELLS
				 特別 財務(等格別)

Do not use this form for proposals to drill or to re-enter an

5. Lease Serial No.

	UTU-74426
5.	If Indian, Allottee or Tribe Nan

abandoned we	ell. Use Form 3160 - 3	(APD) for such pro	posals.	n/a	
SUBMIT IN TR	IPLICATE- Other ins	tructions on rever	se side.	-	/Agreement, Name and/or No.
1. Type of Well Oil Well	Gas Well Other			n/a 8. Well Name a	nd No.
2. Name of Operator Enduring Re	sources, LLC			Bonanza 15 9. API Well N	
3a. Address 475 17th Street, Suite 1500, De	nver, CO 80202	3b. Phone No. (include 303-573-1222	area code)	43-047-366 10. Field and Po	ol, or Exploratory Area
4. Location of Well (Footage, Sec.,	T., R., M., or Survey Description)			Undesignat	ted
Sec 11 9S 23E SLB&M, (SWSE)				11. County or Pa	•
12. CHECK AF	PROPRIATE BOX(ES) TO	O INDICATE NATUR	E OF NOTICE, RI	EPORT, OR OT	THER DATA
TYPE OF SUBMISSION		TYP	E OF ACTION	_	
Notice of Intent Subsequent Report Final Abandonment Notice	Acidize Alter Casing Casing Repair Change Plans Convert to Injection	Deepen Fracture Treat New Construction Plug and Abandon Plug Back	Production (Statement of Statement of Statem	<u> </u>	Water Shut-Off Well Integrity Other Change Well Name/ Number Requested
13. Describe Proposed or Complete	ed Operation (clearly state all pert	inent details, including estin	nated starting date of an	y proposed work a	nd approximate duration thereof.

If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

CHANGE WELL NAME AND NUMBER:

FROM: Bonanza 15-11-9-23

TO:

Bonanza 9-23-34-11

RECEIVED APR 0 4 2012

DIV. OF OIL, GAS & MINING

VERNAL DIST. ENG.	
GEOL.	
E.S.	
A.M	
	j

 I hereby certify that the foregoing is true and correct Name (Printed/Typed) 							
Alvin R. (Al) Arlian	Title Landman - Regulatory Specialist						
Signature / / / / / / / / / / / / / / / / / / /	Date 10/31/2005						
THIS SPACE FOR FEDERAL OR STATE OFFICE USE							

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Petroleum Engineer Date

VERNAL FIELD OFFICE

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Office



Form 3160-3 (April 2004)	_	SEP 2	1 2005	T OMB 1	APPROVED No. 1004-0137 March 31, 2007	
UNITED STATE: DEPARTMENT OF THE BUREAU OF LAND MAI	INTERIOR	•		5. Lease Serial No. UTU-74426		
APPLICATION FOR PERMIT TO		_		6. If Indian, Allote N/A	e or Tribe Name	
la. Type of work: DRILL REENT	✓ DRILL REENTER					nd No.
Ib. Type of Well: Oil Well Gas Well Other	□s	ingle Zone Multi	ple Zone	8. Lease Name and Bonanza 15-1		
2. Name of Operator Enduring Resources, LLC				9. API Well No. 43-047-36652		
3a. Address 475 17th Street, Suite 1500, Denver, CO 80202	1	0. (include area code) 73-1222		10. Field and Pool, or	Exploratory	
4. Location of Well (Report location clearly and in accordance with an At surface 660 FSL & 1980 FEL SWSE Sec	•	•		11. Sec., T. R. M. or I SWSE Sec 11	·	r Area
At proposed prod. zone SAME 14. Distance in miles and direction from nearest town or post office*				12. County or Parish Uintah	13. S	State UT
15. Distance from proposed* location to nearest property or lease line, ft. (Also to nearest drig. unit line, if any)	16. No. of	acres in lease	17. Spacin	g Unit dedicated to this	well	
18. Distance from proposed location* to nearest well, drilling, completed, applied for, on this lease, ft.	19. Proposed Depth 20. BLM/E 8,245' UTB0			BIA Bond No. on file		
21. Elevations (Show whether DF, KDB, RT, GL, etc.)	22. Approxi	mate date work will star	ť*	23. Estimated duration	on	
	24. Atta	•		<u> </u>		
 The following, completed in accordance with the requirements of Onshorm. Well plat certified by a registered surveyor. A Drilling Plan. A Surface Use Plan (if the location is on National Forest System SUPO shall be filed with the appropriate Forest Service Office). 		Bond to cover the litem 20 above). Operator certific	ne operation ation	s form: Is unless covered by an rmation and/or plans as	-	·
25. Signature		(Printed/Typed) Alex Campbell	er.		Date 09/19/200	5
Title Vice President of Land					· · · · · · · · · · · · · · · · · · ·	
Approved by (Signature)		Printed/Typed Prry	Kenc	zka	Date FEB 1	7 2012
Title Assistant Field Manager Lands & Mineral Resources	Office			LD OFFICE		
Application approval does not warrant or certify that the applicant holds conduct operations thereon. Conditions of approval, if any, are attached. CONDITION		APPROVAL A			ntitle the applica	nt to
Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a cri States any false, fictitious or fraudulent statements or representations as to	ime for any pe o any matter w	erson knowingly and within its jurisdiction.	illfully to ma	ke to any department o	r agency of the	United
*(Instructions on page 2)			NO	IS villabo	a C	

NOTICE OF APPROVAL

AFMSS# 05170287A





UNITED STATES DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT VERNAL FIELD OFFICE** 170 South 500 East

VERNAL, UT 84078

(435) 781-4400



CONDITIONS OF APPROVAL FOR APPLICATION FOR PERMIT TO DRILL

Company: Well No: API No:

Enduring Resources, LLC

Bonanza 9-23-34-11 (fka 15-11-9-23)

43-047-36652

Location: Lease No: SWSE, Sec. 11, T9S, R23E

UTU-74426

Agreement:

N/A

OFFICE NUMBER: (435) 781-4400

OFFICE FAX NUMBER: (435) 781-3420

A COPY OF THESE CONDITIONS SHALL BE FURNISHED TO YOUR FIELD REPRESENTATIVE TO INSURE COMPLIANCE

All lease and/or unit operations are to be conducted in such a manner that full compliance is made with the applicable laws, regulations (43 CFR Part 3160), and this approved Application for Permit to Drill including Surface and Downhole Conditions of Approval. The operator is considered fully responsible for the actions of his subcontractors. A copy of the approved APD must be on location during construction, drilling, and completion operations. This permit is approved for a two (2) year period, or until lease expiration, whichever occurs first. An additional extension, up to two (2) years, may be applied for by sundry notice prior to expiration.

NOTIFICATION REQUIREMENTS

Location Construction (Notify Environmental Scientist)	-	Forty-Eight (48) hours prior to construction of location and access roads.
Location Completion (Notify Environmental Scientist)	-	Prior to moving on the drilling rig.
Spud Notice (Notify Petroleum Engineer)	-	Twenty-Four (24) hours prior to spudding the well.
Casing String & Cementing (Notify Supv. Petroleum Tech.)	-	Twenty-Four (24) hours prior to running casing and cementing all casing strings to: <u>blm_ut_vn_opreport@blm.gov</u>
BOP & Related Equipment Tests (Notify Supv. Petroleum Tech.)	-	Twenty-Four (24) hours prior to initiating pressure tests.
First Production Notice (Notify Petroleum Engineer)	-	Within Five (5) business days after new well begins or production resumes after well has been off production for more than ninety (90) days.



Page 2 of 9

Well: Bonanza 9-23-34-11 2/14/2012

SURFACE USE PROGRAM CONDITIONS OF APPROVAL (COAs)

- All new and replacement internal combustion gas field engines of less than or equal to 300 designrated horsepower must not emit more than 2 gms of NO_x per horsepower-hour. This requirement does not apply to gas field engines of less than or equal to 40 design-rated horsepower.
- All and replacement internal combustion gas field engines of greater than 300 design rated horsepower must not emit more than 1.0 gms of NO_x per horsepower-hour.
- If there is an active Gilsonite mining operation within 2 miles of the well location, operator shall notify the Gilsonite operator at least 48 hours prior to any blasting during construction.
- If paleontological materials are uncovered during construction, the operator is to immediately stop work and contact the Authorized Officer (AO). A determination will be made by the AO as to what mitigation may be necessary for the discovered paleontologic material before construction can continue.

U.S. Fish and Wildlife Service (Service) Measures to Minimize Effects of Surface Water Pumping to Endangered Colorado River Fish

Colorado River Basin Fish Species

- 1. The best method to avoid entrainment is to pump from an off-channel location one that does not connect to the river during high spring flows. An infiltration gallery constructed in a BLM and Service approved location is best.
- 2. If the pump head is located in the river channel where larval fish are known to occur, the following measures apply:
 - a. Do not situate the pump in a low-flow or no-flow area as these habitats tend to concentrate larval fishes;
 - b. Do not situate the pump in a low-flow or no-flow area as these habitats tend to concentrate larval fishes:
 - c. Limit the amount of pumping, to the greatest extent possible, during that period of the year when larval fish may be present; (see above); and
- 3. Screen all pump intakes with 3/32" mesh material.
- 4. Approach velocities for intake structures shall follow the National Marine Fisheries Service's document "Fish Screening Criteria for Anadromous Salmonids." For projects with an in-stream intake that operate in stream reaches where larval fish may be present, the approach velocity shall not exceed 0.33 feet per second (ft/s).
- 5. Report any fish impinged on the intake screen or entrained into irrigation canals to the Service (801.975.3330) or the Utah Division of Wildlife Resources:

Page 3 of 9

Well: Bonanza 9-23-34-11 2/14/2012

Northeastern Region

152 East 100 North

Vernal, UT 84078

Phone: (435) 781-9453

Southeastern Region

475 West Price River Drive, Suite C

Price, UT 84501

Phone: (435) 636-0260

Golden Eagle

Timing restrictions due to golden eagle nesting season (B 5-26-9-24, B 16-26-9-24, and S C 9-24-24-30) will apply. No construction or drilling activities within 0.5 mile of golden eagle nests from January 1 - August 31 will apply.

If it is anticipated that construction or drilling will occur during the given timing restriction, a BLM or qualified biologist will be notified so surveys can be conducted. Depending upon the results of the surveys, permission to proceed may or may not be granted by the BLM Authorized Officer.

Burrowing Owl

Construction and drilling is not allowed from March 1 – August 31 to minimize impacts during Burrowing owl nesting.

If it is anticipated that construction or drilling will occur during the given timing restriction, a BLM or qualified biologist will be notified so surveys can be conducted. Depending upon the results of the surveys, permission to proceed may or may not be granted by the BLM Authorized Officer.

Paleontology

For well B9-23-44-12, the access road and pipeline route will be monitored by a permitted paleontologist. If paleontological materials are uncovered during construction, the operator is to immediately stop work and contact the Authorized Officer (AO). A determination will be made by the AO as to what mitigation may be necessary for the discovered paleontologic material before construction can continue.

Page 4 of 9

Well: Bonanza 9-23-34-11

2/14/2012

Air Quality

All new and replacement internal combustion gas field engines of less than or equal to 300 design-rated horse power must not emit more than 2 grams of NOx per horsepower-hour. This requirement does not apply to gas field engines of less than or equal to 40 design-rated horsepower-hour.

All new and replacement internal combustion gas field engines of greater than 300 design rated horsepower must not emit more than 1.0 grams of NOx per horsepower-hour.

APPLICANT COMMITED MEASURES

Soils and Vegetation

Reclamation will be performed according to Enduring Resources "Standard Reclamation Plan," approved and on file with the BLM (VFO). Under this plan, all reclamation activities will be monitored by the company and reported to BLM every spring by March 31. The overall re-vegetation goal is to achieve 75% of basal cover, compared to adjacent and undisturbed native vegetative community, within 5 years after commencement of the reclamation activities. However, if the vegetative cover is less than 30% of basal cover after 3 years of performing the reclamation activities, then re-vegetation modifications may be done in consultation with BLM Authorized Officer. Despite the level of success, monitoring of the reclamation activities will continue until re-vegetation is deemed successful by the BLM.

Seed mix: (May be amended at the time of well final abandonment)

Common name	Latin name	lbs/acre	Recommended seed planting depth (inches)
shadscale	Atriplex confertifolia	2	0.5 -0.75
Gardner saltbush	Atriplex gardneri	0.5	0.25 - 0.75
Indian rice grass	Achnatherum hymenoides	1	1.5 - 3
needle & thread grass	Stipa comata	2	1.5 - 3
big sagebrush	Artemisia tridentata spp. wyomingensis	0.25	0.5-1
squirreltail grass	Elymus elymoides	2	0.25 - 0.5
rabbitbrush	Chrysothamnus nauseosus	3	0.5-1
hycrest crested wheatgrass	Agropyron cristatum/Agropyron desertorum hybrid	2	0.25 - 0.75

- All pounds are pure live seed.
- All seed and mulch will be certified weed free.
- Rates are set for drill seeding; double rate if broadcasting.
- Reseeding may be required if initial seeding is not successful.

Page 5 of 9

Well: Bonanza 9-23-34-11 2/14/2012

Paint:

All facilities will be painted Covert Green within six months of installation, except those facilities which are required to comply with the Occupational Safety and Health Act (OSHA)

Invasive Plants and Noxious Weeds:

Enduring Resources will control invasive and noxious weeds along corridors for roads, pipelines, well sites, or other applicable facilities. On BLM administered lands, a Pesticide Use Proposal (PUP) must be submitted and approved prior to the application of herbicides, pesticides, or other possibly hazardous chemicals.

Page 6 of 9 Well: Bonanza 9-23-34-11

2/14/2012

DOWNHOLE PROGRAM CONDITIONS OF APPROVAL (COAs)

SITE SPECIFIC DOWNHOLE COAs:

 Production casing cement shall be brought up and into the surface casing. Production casing minimum cement top is 1500 ft. The minimum cement top is approximately 0500 ft above the surface casing shoe.

For production casing cement program, to reach 1500 ft minimum cement top, operator is required to pump additional cement beyond the stated amounts in application.

Specified cement top standard will isolate and protect base of usable water transition interface.

• The operator must notify any active gilsonite operation located within 2 miles of the location 48 hours prior to any surface blasting for this well.

All provisions outlined in Onshore Oil & Gas Order #2 Drilling Operations shall be strictly adhered to. The following items are emphasized:

DRILLING/COMPLETION/PRODUCING OPERATING STANDARDS

- The spud date and time shall be reported orally to Vernal Field Office within 24 hours of spudding.
- Notify Vernal Field Office Supervisory Petroleum Engineering Technician at least 24 hours in advance of casing cementing operations and BOPE & casing pressure tests.
- All requirements listed in Onshore Order #2 III. E. Special Drilling Operations are applicable for air drilling of surface hole.
- Blowout prevention equipment (BOPE) shall remain in use until the well is completed or abandoned. Closing unit controls shall remain unobstructed and readily accessible at all times.
 Choke manifolds shall be located outside of the rig substructure.
- All BOPE components shall be inspected daily and those inspections shall be recorded in the daily drilling report. Components shall be operated and tested as required by Onshore Oil & Gas Order No. 2 to insure good mechanical working order. All BOPE pressure tests shall be performed by a test pump with a chart recorder and <u>NOT</u> by the rig pumps. Test shall be reported in the driller's log.
- BOP drills shall be initially conducted by each drilling crew within 24 hours of drilling out from under the surface casing and weekly thereafter as specified in Onshore Oil & Gas Order No. 2.
- Casing pressure tests are required before drilling out from under all casing strings set and cemented in place.
- No aggressive/fresh hard-banded drill pipe shall be used within casing.
- Cement baskets shall not be run on surface casing.

Page 7 of 9 Well: Bonanza 9-23-34-11

2/14/2012

• The operator must report all shows of water or water-bearing sands to the BLM. If flowing water is encountered it must be sampled, analyzed, and a copy of the analyses submitted to the BLM Vernal Field Office.

- The operator must report encounters of all non oil & gas mineral resources (such as Gilsonite, tar sands, oil shale, trona, etc.) to the Vernal Field Office, in writing, within 5 working days of each encounter. Each report shall include the well name/number, well location, date and depth (from KB or GL) of encounter, vertical footage of the encounter and, the name of the person making the report (along with a telephone number) should the BLM need to obtain additional information.
- A complete set of angular deviation and directional surveys of a directional well will be submitted to the Vernal BLM office engineer within 30 days of the completion of the well.
- While actively drilling, chronologic drilling progress reports shall be filed directly with the BLM, Vernal Field Office on a weekly basis in sundry, letter format or e-mail to the Petroleum Engineers until the well is completed.
- A cement bond log (CBL) will be run from the production casing shoe to the top of cement and shall be utilized to determine the bond quality for the production casing. Submit a field copy of the CBL to this office.
- Please submit an electronic copy of all other logs run on this well in LAS format to BLM_UT_VN_Welllogs@BLM.gov. This submission will supersede the requirement for submittal of paper logs to the BLM.
- There shall be no deviation from the proposed drilling, completion, and/or workover program as approved. Safe drilling and operating practices must be observed. Any changes in operation must have prior approval from the BLM Vernal Field Office.

Page 8 of 9 Well: Bonanza 9-23-34-11

2/14/2012

OPERATING REQUIREMENT REMINDERS:

 All wells, whether drilling, producing, suspended, or abandoned, shall be identified in accordance with 43 CFR 3162.6. There shall be a sign or marker with the name of the operator, lease serial number, well number, and surveyed description of the well.

- For information regarding production reporting, contact the Office of Natural Resources Revenue (ONRR) at <u>www.ONRR.gov</u>.
- Should the well be successfully completed for production, the BLM Vernal Field office must be
 notified when it is placed in a producing status. Such notification will be by written communication
 and must be received in this office by not later than the fifth business day following the date on
 which the well is placed on production. The notification shall provide, as a minimum, the following
 informational items:
 - Operator name, address, and telephone number.
 - Well name and number.
 - O Well location (1/41/4, Sec., Twn, Rng, and P.M.).
 - Date well was placed in a producing status (date of first production for which royalty will be paid).
 - o The nature of the well's production, (i.e., crude oil, or crude oil and casing head gas, or natural gas and entrained liquid hydrocarbons).
 - o The Federal or Indian lease prefix and number on which the well is located; otherwise the non-Federal or non-Indian land category, i.e., State or private.
 - O Unit agreement and/or participating area name and number, if applicable.
 - o Communitization agreement number, if applicable.
- Any venting or flaring of gas shall be done in accordance with Notice to Lessees (NTL) 4A and needs prior approval from the BLM Vernal Field Office.
- All undesirable events (fires, accidents, blowouts, spills, discharges) as specified in NTL 3A will be reported to the BLM, Vernal Field Office. Major events, as defined in NTL3A, shall be reported verbally within 24 hours, followed by a written report within 15 days. "Other than Major Events" will be reported in writing within 15 days. "Minor Events" will be reported on the Monthly Report of Operations and Production.
- Whether the well is completed as a dry hole or as a producer, "Well Completion and Recompletion Report and Log" (BLM Form 3160-4) shall be submitted not later than 30 days after completion of the well or after completion of operations being performed, in accordance with 43 CFR 3162.4-1. Two copies of all logs run, core descriptions, and all other surveys or data obtained and compiled during the drilling, workover, and/or completion operations, shall be filed on BLM Form 3160-4. Submit with the well completion report a geologic report including, at a minimum, formation tops, and a summary and conclusions. Also include deviation surveys, sample descriptions, strip logs,

Page 9 of 9 Well: Bonanza 9-23-34-11

2/14/2012

core data, drill stem test data, and results of production tests if performed. Samples (cuttings, fluid, and/or gas) shall be submitted only when requested by the BLM, Vernal Field Office.

- All off-lease storage, off-lease measurement, or commingling on-lease or off-lease, shall have prior written approval from the BLM Vernal Field Office.
- Oil and gas meters shall be calibrated in place prior to any deliveries. The BLM Vernal Field Office
 Petroleum Engineers will be provided with a date and time for the initial meter calibration and all
 future meter proving schedules. A copy of the meter calibration reports shall be submitted to the
 BLM Vernal Field Office. All measurement facilities will conform to the API standards for liquid
 hydrocarbons and the AGA standards for natural gas measurement. All measurement points shall
 be identified as the point of sale or allocation for royalty purposes.
- A schematic facilities diagram as required by Onshore Oil & Gas Order No. 3 shall be submitted to the BLM Vernal Field Office within 30 days of installation or first production, whichever occurs first. All site security regulations as specified in Onshore Oil & Gas Order No. 3 shall be adhered to. All product lines entering and leaving hydrocarbon storage tanks will be effectively sealed in accordance with Onshore Oil & Gas Order No. 3.
- Any additional construction, reconstruction, or alterations of facilities, including roads, gathering
 lines, batteries, etc., which will result in the disturbance of new ground, shall require the filing of a
 suitable plan and need prior approval of the BLM Vernal Field Office. Emergency approval may be
 obtained orally, but such approval does not waive the written report requirement.
- No location shall be constructed or moved, no well shall be plugged, and no drilling or workover
 equipment shall be removed from a well to be placed in a suspended status without prior approval
 of the BLM Vernal Field Office. If operations are to be suspended for more than 30 days, prior
 approval of the BLM Vernal Field Office shall be obtained and notification given before resumption
 of operations.
- Pursuant to Onshore Oil & Gas Order No. 7, this is authorization for pit disposal of water produced from this well for a period of 90 days from the date of initial production. A permanent disposal method must be approved by this office and in operation prior to the end of this 90-day period. In order to meet this deadline, an application for the proposed permanent disposal method shall be submitted along with any necessary water analyses, as soon as possible, but no later than 45 days after the date of first production. Any method of disposal which has not been approved prior to the end of the authorized 90-day period will be considered as an Incident of Noncompliance and will be grounds for issuing a shut-in order until an acceptable manner for disposing of said water is provided and approved by this office.
- Unless the plugging is to take place immediately upon receipt of oral approval, the Field Office Petroleum Engineers must be notified at least 24 hours in advance of the plugging of the well, in order that a representative may witness plugging operations. If a well is suspended or abandoned, all pits must be fenced immediately until they are backfilled. The "Subsequent Report of Abandonment" (Form BLM 3160-5) must be submitted within 30 days after the actual plugging of the well bore, showing location of plugs, amount of cement in each, and amount of casing left in hole, and the current status of the surface restoration.

Sundry Number: 25105 API Well Number: 43047366520000

	CTATE OF LITAL		FORM 9
STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES			5.LEASE DESIGNATION AND SERIAL NUMBER:
	DIVISION OF OIL, GAS, AND MIN	UTU-74426	
SUNDRY NOTICES AND REPORTS ON WELLS			6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.			7.UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: BONANZA 9-23-34-11
2. NAME OF OPERATOR: Enduring Resources, LLC			9. API NUMBER: 43047366520000
3. ADDRESS OF OPERATOR: 511-16th Street, Suite 700, Denver, CO, 80202 PHONE NUMBER: 303 350-5114 Ext			9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0607 FSL 1920 FEL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: SWSE Section: 11 Township: 09.0S Range: 23.0E Meridian: S			STATE: UTAH
11. CHEC	K APPROPRIATE BOXES TO INDICAT	E NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
4/28/2012	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION
Date of Work Completion:	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL
DRILLING REPORT	WATER SHUTOFF	SI TA STATUS EXTENSION	✓ APD EXTENSION
Report Date:			OTHER.
	WILDCAT WELL DETERMINATION	OTHER	OTHER:
I .	COMPLETED OPERATIONS. Clearly show a		
Request for a	an one-year extension to APE	expiration date.	Approved by the Utah Division of Oil, Gas and Mining
			Date: May 07, 2012
			By: Basylll
NAME (PLEASE PRINT)	PHONE NUMBE		
Alvin Arlian SIGNATURE	303 350-5114	Landman-Regulatory DATE	
N/A		4/26/2012	

Sundry Number: 25105 API Well Number: 43047366520000



The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Request for Permit Extension Validation Well Number 43047366520000

API: 43047366520000 Well Name: BONANZA 9-23-34-11

Location: 0607 FSL 1920 FEL QTR SWSE SEC 11 TWNP 090S RNG 230E MER S

Company Permit Issued to: ENDURING RESOURCES, LLC

Date Original Permit Issued: 4/28/2005

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

• If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes No
Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes No
• Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes No
• Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location? Yes No
• Has the approved source of water for drilling changed? Yes No
 Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes No
• Is bonding still in place, which covers this proposed well? Yes No
nature: Alvin Arlian Date: 4/26/2012

Signature: Alvin Arlian **Date:** 4/26/2012

Title: Landman-Regulatory Representing: ENDURING RESOURCES, LLC

Sundry Number: 36890 API Well Number: 43047366520000

STATE OF UTAH			FORM 9
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-74426
SUNDRY NOTICES AND REPORTS ON WELLS			6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
	posals to drill new wells, significantly de- reenter plugged wells, or to drill horizonta n for such proposals.		7.UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: BONANZA 9-23-34-11
2. NAME OF OPERATOR: Enduring Resources, LLC			9. API NUMBER: 43047366520000
3. ADDRESS OF OPERATOR: 511-16th Street, Suite 700		HONE NUMBER: 3 350-5114 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0607 FSL 1920 FEL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: SWSE Section: 1	IIP, RANGE, MERIDIAN: 1 Township: 09.0S Range: 23.0E Meridian	: S	STATE: UTAH
11. CHECI	APPROPRIATE BOXES TO INDICATE	NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
4/28/2013	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION
Date of Work Completion:	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:			
Date of opau.	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	☐ TEMPORARY ABANDON
	L TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL
DRILLING REPORT Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	✓ APD EXTENSION
	WILDCAT WELL DETERMINATION	OTHER	OTHER:
	COMPLETED OPERATIONS. Clearly show all		A CORP. SALES CONT. SALES CONT.
Request for a	n one-year extension to APD t	ermination date.	Approved by the
			Utah Division of Oil, Gas and Mining
			_
			Date: April 23, 2013
			By: Laggille
NAME (PLEASE PRINT) Alvin Arlian	PHONE NUMBER 303 350-5114	TITLE Landman-Regulatory	
SIGNATURE N/A		DATE 4/22/2013	

Sundry Number: 36890 API Well Number: 43047366520000



The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Request for Permit Extension Validation Well Number 43047366520000

API: 43047366520000 **Well Name:** BONANZA 9-23-34-11

Location: 0607 FSL 1920 FEL QTR SWSE SEC 11 TWNP 090S RNG 230E MER S

Company Permit Issued to: ENDURING RESOURCES, LLC

Date Original Permit Issued: 4/28/2005

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

• If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes No
Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes No
• Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes No
• Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location? Yes No
• Has the approved source of water for drilling changed? Yes No
 Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes No
• Is bonding still in place, which covers this proposed well? Yes No
noturo. Alvin Arlian Detai 4/22/2012

Signature: Alvin Arlian Date: 4/22/2013

Title: Landman-Regulatory Representing: ENDURING RESOURCES, LLC

Sundry Number: 50290 API Well Number: 43047366520000

	FORM 9		
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-74426
SUNDRY NOTICES AND REPORTS ON WELLS			6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.			7.UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: BONANZA 9-23-34-11
2. NAME OF OPERATOR: Enduring Resources, LLC			9. API NUMBER: 43047366520000
3. ADDRESS OF OPERATOR: 511-16th Street, Suite 700		HONE NUMBER: 3 350-5114 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0607 FSL 1920 FEL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: SWSE Section: 11 Township: 09.0S Range: 23.0E Meridian: S			STATE: UTAH
11. CHECI	K APPROPRIATE BOXES TO INDICATE	NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
✓ NOTICE OF INTENT	ACIDIZE	ALTER CASING	CASING REPAIR
Approximate date work will start: 4/22/2014	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
4/22/2014	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL
☐ DRILLING REPORT	WATER SHUTOFF	SI TA STATUS EXTENSION	✓ APD EXTENSION
Report Date:	WILDCAT WELL DETERMINATION	OTHER	OTHER:
12 DESCRIBE PROPOSED OR	COMPLETED OPERATIONS. Clearly show all	nertinent details including dates of	denths volumes etc
	an one-year extension to APD		Approved by the
·	,	·	Utah Division of Oil, Gas and Mining
			Date: April 22, 2014
			By: Daggill
NAME (PLEASE PRINT)	PHONE NUMBER	TITLE	
Alvin Arlian	303 350-5114	Landman-Regulatory	
SIGNATURE N/A		DATE 4/22/2014	

Sundry Number: 50290 API Well Number: 43047366520000



The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Request for Permit Extension Validation Well Number 43047366520000

API: 43047366520000 Well Name: BONANZA 9-23-34-11

Location: 0607 FSL 1920 FEL QTR SWSE SEC 11 TWNP 090S RNG 230E MER S

Company Permit Issued to: ENDURING RESOURCES, LLC

Date Original Permit Issued: 4/28/2005

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

• If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes No
Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes No
• Has there been any unit or other agreements put in place that could affect the permitting or operation of thi proposed well? Yes No
• Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location? (Yes (No
• Has the approved source of water for drilling changed? Yes No
• Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes No
• Is bonding still in place, which covers this proposed well? Yes No
natura: Alvin Arlian Date: 4/22/2014

Signature: Alvin Arlian Date: 4/22/2014

Title: Landman-Regulatory Representing: ENDURING RESOURCES, LLC



State of Utah DEPARTMENT OF NATURAL RESOURCES

MICHAEL R. STYLER

Executive Director

Division of Oil, Gas and Mining

JOHN R. BAZA

Division Director

April 2, 2015

Travis Whitham Enduring Resources, LLC 511-16th Street, Suite 700 Denver, CO 80202 43 047 36652 Bonanza 9-23-34-11 11 95 23E

Re:

APDs Rescinded Enduring Resources, LLC., Uintah County

Dear Mr. Whitham:

Enclosed find the list of APDs that you asked to be rescinded. No drilling activity at these locations has been reported to the division. Therefore, approval to drill these wells is hereby rescinded as of April 1, 2015.

A new APD must be filed with this office for approval <u>prior</u> to the commencement of any future work on the subject location.

If any previously unreported operations have been performed on this well location, it is imperative that you notify the Division immediately.

Sincerely,

Diana masor

Environmental Scientist

cc:

Well File

Bureau of Land Management, Vernal



43-047-37951 PARIETTE BENCH 9-19-33-10

43-047-37970 BUCK CAMP 11-22-34-35

43-047-36549 ROCK HOUSE 10-23-14-30

43-047-36551 ROCK HOUSE 10-23-21-31

43-047-36553 ROCK HOUSE 10-23-24-31

43-047-36554 ROCK HOUSE 10-23-22-31

43-047-39200 RAINBOW 11-24-44-13

43-047-37971 ROCK HOUSE 10-23-34-30

43-047-37972 ROCK HOUSE 10-23-43-30

43-047-36552 ROCK HOUSE 10-23-13-31

43-047-39210 BIG PACK 11-21-21-28

→ 43-047-36652 BONANZA 9-23-34-11

43-047-36635 BONANZA 9-24-12-18